

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240				
15	1.50	-	-	-	1.50	-	2.80	0.460	0.460	0.700	2.11	2.02	1.94	99
18	1.80	-	-	-	1.80	-	3.80	0.460	0.460	0.870	2.11	2.02	1.94	99
20	2.00	-	-	-	2.00	-	2.80	0.460	0.520	0.700	2.39	2.28	2.19	99
22	2.20	-	-	-	2.20	-	3.80	0.460	0.520	0.870	2.39	2.28	2.19	99
25	2.50	-	-	-	2.50	-	3.80	0.520	0.810	0.870	3.72	3.56	3.41	99
35	3.50	-	-	-	3.50	-	5.20	0.520	0.810	1.500	3.72	3.56	3.41	99
42	4.20	-	-	-	4.20	-	5.00	0.520	1.030	1.585	4.73	4.52	4.34	99
50	5.00	-	-	-	5.00	-	5.60	0.520	1.350	1.775	6.20	5.93	5.68	99
60	6.00	-	-	-	6.00	-	6.60	0.450	1.730	2.491	7.94	7.60	7.28	99
15+15	1.50	1.50	-	-	3.00	-	5.40	0.540	0.766	1.800	3.52	3.37	3.23	99
15+18	1.50	1.80	-	-	3.30	-	5.40	0.620	0.816	1.890	3.75	3.58	3.43	99
15+20	1.50	2.00	-	-	3.50	-	5.40	0.700	0.858	2.005	3.94	3.77	3.61	99
15+22	1.50	2.20	-	-	3.70	-	5.40	0.660	0.901	1.850	4.14	3.96	3.79	99
15+25	1.50	2.50	-	-	4.00	-	5.40	0.780	1.096	1.970	5.03	4.81	4.61	99
15+35	1.50	3.50	-	-	5.00	-	6.00	0.620	1.426	2.150	6.55	6.26	6.00	99
15+42	1.50	4.20	-	-	5.70	-	6.40	0.620	1.640	2.500	7.53	7.20	6.90	99
15+50	1.50	5.00	-	-	6.50	-	6.90	0.630	2.002	2.860	9.19	8.79	8.43	99
15+60	1.36	5.44	-	-	6.80	-	7.10	0.640	2.165	2.980	9.94	9.51	9.11	99
18+18	1.80	1.80	-	-	3.60	-	5.40	0.540	0.807	1.640	3.71	3.54	3.40	99
18+20	1.80	2.00	-	-	3.80	-	5.40	0.700	0.966	1.890	4.44	4.24	4.07	99
18+22	1.80	2.20	-	-	4.00	-	5.40	0.700	1.067	1.800	4.90	4.69	4.49	99
18+25	1.80	2.50	-	-	4.30	-	5.40	0.580	1.142	1.680	5.24	5.01	4.81	99
18+35	1.80	3.50	-	-	5.30	-	6.20	0.540	1.489	2.130	6.84	6.54	6.27	99
18+42	1.80	4.20	-	-	6.00	-	6.60	0.540	1.702	2.480	7.82	7.48	7.16	99
18+50	1.80	5.00	-	-	6.80	-	7.10	0.550	2.136	2.820	9.81	9.38	8.99	99
18+60	1.57	5.23	-	-	6.80	-	7.10	0.560	2.136	2.810	9.81	9.38	8.99	99
20+20	2.00	2.00	-	-	4.00	-	5.40	0.700	1.067	1.800	4.90	4.69	4.49	99
20+22	2.00	2.20	-	-	4.20	-	5.40	0.700	1.146	1.890	5.26	5.03	4.82	99
20+25	2.00	2.50	-	-	4.50	-	5.50	0.620	1.234	1.865	5.67	5.42	5.19	99
20+35	2.00	3.50	-	-	5.50	-	6.30	0.620	1.579	2.400	7.25	6.94	6.65	99
20+42	2.00	4.20	-	-	6.20	-	6.70	0.620	1.840	2.740	8.45	8.08	7.74	99
20+50	1.94	4.86	-	-	6.80	-	7.10	0.630	2.165	2.990	9.94	9.51	9.11	99
20+60	1.70	5.10	-	-	6.80	-	7.10	0.640	2.165	2.980	9.94	9.51	9.11	99
22+22	2.20	2.20	-	-	4.40	-	5.40	0.540	1.166	1.640	5.35	5.12	4.91	99
22+25	2.20	2.50	-	-	4.70	-	5.70	0.540	1.281	1.810	5.88	5.63	5.39	99
22+35	2.20	3.50	-	-	5.70	-	6.40	0.540	1.611	2.330	7.40	7.08	6.78	99
22+42	2.20	4.20	-	-	6.40	-	6.90	0.540	1.920	2.655	8.81	8.43	8.08	99
22+60	1.82	4.98	-	-	6.80	-	7.10	0.560	2.136	2.810	9.81	9.38	8.99	99
25+25	2.50	2.50	-	-	5.00	-	6.00	0.540	1.397	1.980	6.41	6.13	5.88	99

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	power consumption(kW)		220	230	240		
25+35	2.50	3.50	-	-	6.00 2.00 - 6.60	1.702 - 2.480	0.540	7.82	7.48	7.16	99	
25+42	2.50	4.20	-	-	6.70 2.00 - 7.00	2.082 - 2.785	0.540	9.56	9.14	8.76	99	
25+50	2.27	4.53	-	-	6.80 2.00 - 7.10	2.136 - 2.820	0.550	9.81	9.38	8.99	99	
25+60	2.00	4.80	-	-	6.80 2.00 - 7.10	2.128 - 2.810	0.560	9.77	9.35	8.96	99	
35+35	3.20	3.20	-	-	6.40 2.00 - 6.90	1.920 - 2.655	0.540	8.81	8.43	8.08	99	
35+42	3.09	3.71	-	-	6.80 2.00 - 7.10	2.136 - 2.830	0.540	9.81	9.38	8.99	99	
35+50	2.80	4.00	-	-	6.80 2.00 - 7.10	2.128 - 2.820	0.550	9.77	9.35	8.96	99	
35+60	2.51	4.29	-	-	6.80 2.10 - 7.10	2.055 - 2.830	0.570	9.44	9.03	8.65	99	
42+42	3.40	3.40	-	-	6.80 2.00 - 7.10	2.136 - 2.830	0.540	9.81	9.38	8.99	99	
42+50	3.10	3.70	-	-	6.80 2.10 - 7.10	2.078 - 2.835	0.560	9.54	9.12	8.74	99	
42+60	2.80	4.00	-	-	6.80 2.10 - 7.10	2.002 - 2.845	0.580	9.19	8.79	8.43	99	
50+50	3.40	3.40	-	-	6.80 2.10 - 7.10	2.019 - 2.860	0.560	9.27	8.87	8.50	99	
50+60	3.09	3.71	-	-	6.80 2.10 - 7.10	1.937 - 2.860	0.600	8.89	8.51	8.15	99	
60+60	3.40	3.40	-	-	6.80 2.10 - 7.10	1.855 - 2.920	0.580	8.52	8.15	7.81	99	
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 7.30	0.941 - 2.310	0.780	4.32	4.13	3.96	99	
15+15+18	1.50	1.50	1.80	-	4.80 2.90 - 7.60	1.141 - 2.210	0.800	5.24	5.01	4.80	99	
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 7.70	1.261 - 2.130	0.810	5.79	5.54	5.31	99	
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.90	1.304 - 1.970	0.750	5.99	5.73	5.49	99	
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 8.10	1.431 - 2.205	0.750	6.57	6.28	6.02	99	
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.586 - 3.140	0.750	7.28	6.97	6.67	99	
15+15+50	1.35	1.35	4.50	-	7.20 2.90 - 8.50	1.850 - 2.555	0.730	8.49	8.12	7.79	99	
15+15+60	1.20	1.20	4.80	-	7.20 2.90 - 8.50	1.756 - 2.535	0.730	8.06	7.71	7.39	99	
15+18+18	1.50	1.80	1.80	-	5.10 2.90 - 7.80	1.224 - 1.990	0.740	5.62	5.38	5.15	99	
15+18+20	1.50	1.80	2.00	-	5.30 2.90 - 8.00	1.344 - 1.910	0.740	6.17	5.90	5.66	99	
15+18+22	1.50	1.80	2.20	-	5.50 2.90 - 8.10	1.392 - 2.165	0.720	6.39	6.11	5.86	99	
15+18+25	1.50	1.80	2.50	-	5.80 2.90 - 8.10	1.529 - 3.230	0.770	7.02	6.71	6.43	99	
15+18+35	1.50	1.80	3.50	-	6.80 2.90 - 8.20	1.646 - 2.790	0.700	7.56	7.23	6.93	99	
15+18+42	1.44	1.73	4.03	-	7.20 2.90 - 8.50	1.853 - 2.530	0.700	8.51	8.14	7.80	99	
15+18+50	1.30	1.56	4.34	-	7.20 2.90 - 8.50	1.792 - 2.510	0.700	8.23	7.87	7.54	99	
15+18+60	1.16	1.39	4.65	-	7.20 2.90 - 8.50	1.698 - 2.490	0.700	7.79	7.45	7.14	99	
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 8.10	1.470 - 2.245	0.780	6.75	6.45	6.18	99	
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 8.10	1.522 - 2.915	0.780	6.99	6.68	6.41	99	
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.659 - 3.980	0.830	7.62	7.28	6.98	99	
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.30	1.797 - 2.690	0.740	8.25	7.89	7.56	99	
15+20+42	1.40	1.87	3.93	-	7.20 2.90 - 8.50	1.879 - 2.570	0.730	8.63	8.25	7.91	99	
15+20+50	1.27	1.69	4.24	-	7.20 2.90 - 8.50	1.817 - 2.550	0.730	8.34	7.98	7.65	99	
15+20+60	1.14	1.52	4.55	-	7.20 2.90 - 8.50	1.724 - 2.530	0.730	7.91	7.57	7.25	99	
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.10	1.574 - 3.585	0.780	7.23	6.91	6.63	99	
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.591 - 3.605	0.770	7.30	6.99	6.70	99	

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+22+42	1.37	2.01	3.83	-	7.20 2.90 - 8.50	1.827 0.700 - 2.525	8.39	8.02	7.69	99	
15+22+50	1.24	1.82	4.14	-	7.20 2.90 - 8.50	1.765 0.700 - 2.510	8.11	7.75	7.43	99	
15+22+60	1.11	1.63	4.45	-	7.20 2.90 - 8.50	1.671 0.700 - 2.490	7.67	7.34	7.03	99	
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.547 0.720 - 3.100	7.10	6.79	6.51	99	
15+25+35	1.44	2.40	3.36	-	7.20 2.90 - 8.50	1.872 0.700 - 2.540	8.60	8.22	7.88	99	
15+25+42	1.32	2.20	3.69	-	7.20 2.90 - 8.50	1.807 0.700 - 2.525	8.30	7.94	7.61	99	
15+25+50	1.20	2.00	4.00	-	7.20 2.90 - 8.50	1.746 0.700 - 2.505	8.02	7.67	7.35	99	
15+25+60	1.08	1.80	4.32	-	7.20 2.90 - 8.50	1.652 0.700 - 2.485	7.58	7.25	6.95	99	
15+35+35	1.27	2.96	2.96	-	7.20 2.90 - 8.50	1.807 0.700 - 2.530	8.30	7.94	7.61	99	
15+35+42	1.17	2.74	3.29	-	7.20 2.90 - 8.50	1.743 0.700 - 2.515	8.00	7.66	7.34	99	
15+35+50	1.08	2.52	3.60	-	7.20 2.90 - 8.50	1.681 0.700 - 2.495	7.72	7.38	7.07	99	
15+35+60	0.98	2.29	3.93	-	7.20 2.90 - 8.50	1.620 0.700 - 2.480	7.44	7.11	6.82	99	
15+42+42	1.09	3.05	3.05	-	7.20 2.90 - 8.50	1.678 0.700 - 2.495	7.70	7.37	7.06	99	
15+42+50	1.01	2.83	3.36	-	7.20 2.90 - 8.50	1.630 0.700 - 2.480	7.48	7.16	6.86	99	
15+42+60	0.92	2.58	3.69	-	7.20 2.90 - 8.50	1.601 0.700 - 2.470	7.35	7.03	6.74	99	
15+50+50	0.94	3.13	3.13	-	7.20 2.90 - 8.50	1.620 0.700 - 2.470	7.44	7.11	6.82	99	
15+50+60	0.86	2.88	3.46	-	7.20 2.90 - 8.50	1.591 0.700 - 2.460	7.30	6.99	6.70	99	
18+18+18	1.80	1.80	1.80	-	5.40 2.90 - 8.10	1.308 0.670 - 1.770	6.00	5.74	5.50	99	
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	1.438 0.730 - 2.520	6.60	6.31	6.05	99	
18+18+22	1.80	1.80	2.20	-	5.80 2.90 - 8.10	1.490 0.740 - 3.190	6.84	6.54	6.27	99	
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	1.567 0.750 - 3.730	7.19	6.88	6.59	99	
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.40	1.777 0.680 - 2.540	8.16	7.80	7.48	99	
18+18+42	1.66	1.66	3.88	-	7.20 2.90 - 8.50	1.795 0.670 - 2.485	8.24	7.88	7.55	99	
18+18+50	1.51	1.51	4.19	-	7.20 2.90 - 8.50	1.733 0.670 - 2.470	7.96	7.61	7.30	99	
18+18+60	1.35	1.35	4.50	-	7.20 2.90 - 8.50	1.639 0.670 - 2.450	7.53	7.20	6.90	99	
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	1.568 0.800 - 3.270	7.20	6.88	6.60	99	
18+20+22	1.80	2.00	2.20	-	6.00 2.90 - 8.10	1.620 0.800 - 3.940	7.44	7.11	6.82	99	
18+20+25	1.80	2.00	2.50	-	6.30 2.90 - 8.10	1.576 0.750 - 3.435	7.24	6.92	6.63	99	
18+20+35	1.78	1.97	3.45	-	7.20 2.90 - 8.40	1.872 0.710 - 2.520	8.60	8.22	7.88	99	
18+20+42	1.62	1.80	3.78	-	7.20 2.90 - 8.50	1.821 0.700 - 2.525	8.36	8.00	7.66	99	
18+20+50	1.47	1.64	4.09	-	7.20 2.90 - 8.50	1.759 0.700 - 2.505	8.07	7.72	7.40	99	
18+20+60	1.32	1.47	4.41	-	7.20 2.90 - 8.50	1.665 0.700 - 2.485	7.65	7.31	7.01	99	
18+22+22	1.80	2.20	2.20	-	6.20 2.90 - 8.10	1.552 0.740 - 3.565	7.13	6.82	6.53	99	
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	1.508 0.690 - 3.060	6.93	6.62	6.35	99	
18+22+35	1.73	2.11	3.36	-	7.20 2.90 - 8.50	1.833 0.670 - 2.500	8.42	8.05	7.72	99	
18+22+42	1.58	1.93	3.69	-	7.20 2.90 - 8.50	1.768 0.670 - 2.485	8.12	7.77	7.44	99	
18+22+50	1.44	1.76	4.00	-	7.20 2.90 - 8.50	1.707 0.670 - 2.465	7.84	7.50	7.19	99	
18+22+60	1.30	1.58	4.32	-	7.20 2.90 - 8.50	1.613 0.670 - 2.445	7.41	7.08	6.79	99	
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.20	1.607 0.670 - 2.750	7.38	7.06	6.76	99	

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+25+35	1.66	2.31	3.23	-	7.20 2.90 - 8.50	1.814 -	2.495	8.33	7.97	7.63	99
18+25+42	1.52	2.12	3.56	-	7.20 2.90 - 8.50	1.749 -	2.480	8.03	7.68	7.36	99
18+25+50	1.39	1.94	3.87	-	7.20 2.90 - 8.50	1.688 -	2.460	7.75	7.41	7.10	99
18+25+60	1.26	1.75	4.19	-	7.20 2.90 - 8.50	1.594 -	2.440	7.32	7.00	6.71	99
18+35+35	1.47	2.86	2.86	-	7.20 2.90 - 8.50	1.749 -	2.485	8.03	7.68	7.36	99
18+35+42	1.36	2.65	3.18	-	7.20 2.90 - 8.50	1.685 -	2.470	7.74	7.40	7.09	99
18+35+50	1.26	2.45	3.50	-	7.20 2.90 - 8.50	1.623 -	2.450	7.45	7.13	6.83	99
18+35+60	1.15	2.23	3.82	-	7.20 2.90 - 8.50	1.581 -	2.440	7.26	6.94	6.65	99
18+42+42	1.27	2.96	2.96	-	7.20 2.90 - 8.50	1.620 -	2.455	7.44	7.11	6.82	99
18+42+50	1.18	2.75	3.27	-	7.20 2.90 - 8.50	1.591 -	2.440	7.30	6.99	6.70	99
18+42+60	1.08	2.52	3.60	-	7.20 2.90 - 8.50	1.562 -	2.430	7.17	6.86	6.57	99
18+50+50	1.10	3.05	3.05	-	7.20 2.90 - 8.50	1.581 -	2.430	7.26	6.94	6.65	99
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.581 -	3.900	7.26	6.94	6.65	99
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.630 -	3.645	7.48	7.16	6.86	99
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.586 -	3.140	7.28	6.97	6.67	99
20+20+35	1.92	1.92	3.36	-	7.20 2.90 - 8.50	1.911 -	2.580	8.77	8.39	8.04	99
20+20+42	1.76	1.76	3.69	-	7.20 2.90 - 8.50	1.846 -	2.565	8.48	8.11	7.77	99
20+20+50	1.60	1.60	4.00	-	7.20 2.90 - 8.50	1.785 -	2.545	8.19	7.84	7.51	99
20+20+60	1.44	1.44	4.32	-	7.20 2.90 - 8.50	1.691 -	2.525	7.76	7.43	7.12	99
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.562 -	3.265	7.17	6.86	6.57	99
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.589 -	2.860	7.30	6.98	6.69	99
20+22+35	1.87	2.06	3.27	-	7.20 2.90 - 8.50	1.859 -	2.540	8.54	8.17	7.83	99
20+22+42	1.71	1.89	3.60	-	7.20 2.90 - 8.50	1.795 -	2.520	8.24	7.88	7.55	99
20+22+50	1.57	1.72	3.91	-	7.20 2.90 - 8.50	1.733 -	2.505	7.96	7.61	7.30	99
20+22+60	1.41	1.55	4.24	-	7.20 2.90 - 8.50	1.639 -	2.485	7.53	7.20	6.90	99
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.30	1.759 -	2.650	8.07	7.72	7.40	99
20+25+35	1.80	2.25	3.15	-	7.20 2.90 - 8.50	1.840 -	2.535	8.45	8.08	7.74	99
20+25+42	1.66	2.07	3.48	-	7.20 2.90 - 8.50	1.775 -	2.520	8.15	7.80	7.47	99
20+25+50	1.52	1.89	3.79	-	7.20 2.90 - 8.50	1.714 -	2.500	7.87	7.53	7.21	99
20+25+60	1.37	1.71	4.11	-	7.20 2.90 - 8.50	1.620 -	2.480	7.44	7.11	6.82	99
20+35+35	1.60	2.80	2.80	-	7.20 2.90 - 8.50	1.775 -	2.525	8.15	7.80	7.47	99
20+35+42	1.48	2.60	3.12	-	7.20 2.90 - 8.50	1.710 -	2.510	7.85	7.51	7.20	99
20+35+50	1.37	2.40	3.43	-	7.20 2.90 - 8.50	1.649 -	2.490	7.57	7.24	6.94	99
20+35+60	1.25	2.19	3.76	-	7.20 2.90 - 8.50	1.620 -	2.480	7.44	7.11	6.82	99
20+42+42	1.38	2.91	2.91	-	7.20 2.90 - 8.50	1.646 -	2.490	7.56	7.23	6.93	99
20+42+50	1.29	2.70	3.21	-	7.20 2.90 - 8.50	1.630 -	2.480	7.48	7.16	6.86	99
20+42+60	1.18	2.48	3.54	-	7.20 2.90 - 8.50	1.601 -	2.470	7.35	7.03	6.74	99
20+50+50	1.20	3.00	3.00	-	7.20 2.90 - 8.50	1.620 -	2.470	7.44	7.11	6.82	99
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.494 -	2.890	6.86	6.56	6.29	99

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.30	1.664 -	2.680	7.64	7.31	7.00	99
22+22+35	2.01	2.01	3.19	-	7.20 2.90 - 8.50	1.807 -	2.495	8.30	7.94	7.61	99
22+22+42	1.84	1.84	3.52	-	7.20 2.90 - 8.50	1.743 -	2.480	8.00	7.66	7.34	99
22+22+50	1.69	1.69	3.83	-	7.20 2.90 - 8.50	1.681 -	2.460	7.72	7.38	7.07	99
22+22+60	1.52	1.52	4.15	-	7.20 2.90 - 8.50	1.588 -	2.440	7.29	6.97	6.68	99
22+25+35	1.93	2.20	3.07	-	7.20 2.90 - 8.50	1.788 -	2.495	8.21	7.85	7.52	99
22+25+42	1.78	2.02	3.40	-	7.20 2.90 - 8.50	1.724 -	2.475	7.91	7.57	7.25	99
22+25+50	1.63	1.86	3.71	-	7.20 2.90 - 8.50	1.662 -	2.460	7.63	7.30	6.99	99
22+25+60	1.48	1.68	4.04	-	7.20 2.90 - 8.50	1.581 -	2.440	7.26	6.94	6.65	99
22+35+35	1.72	2.74	2.74	-	7.20 2.90 - 8.50	1.724 -	2.485	7.91	7.57	7.25	99
22+35+42	1.60	2.55	3.05	-	7.20 2.90 - 8.50	1.659 -	2.465	7.62	7.28	6.98	99
22+35+50	1.48	2.36	3.36	-	7.20 2.90 - 8.50	1.610 -	2.450	7.39	7.07	6.78	99
22+35+60	1.35	2.15	3.69	-	7.20 2.90 - 8.50	1.581 -	2.440	7.26	6.94	6.65	99
22+42+42	1.49	2.85	2.85	-	7.20 2.90 - 8.50	1.601 -	2.450	7.35	7.03	6.74	99
22+42+50	1.39	2.65	3.16	-	7.20 2.90 - 8.50	1.591 -	2.440	7.30	6.99	6.70	99
22+42+60	1.28	2.44	3.48	-	7.20 2.90 - 8.50	1.562 -	2.430	7.17	6.86	6.57	99
22+50+50	1.30	2.95	2.95	-	7.20 2.90 - 8.50	1.581 -	2.430	7.26	6.94	6.65	99
25+25+25	2.40	2.40	2.40	-	7.20 2.90 - 8.50	1.833 -	2.500	8.42	8.05	7.72	99
25+25+35	2.12	2.12	2.96	-	7.20 2.90 - 8.50	1.768 -	2.490	8.12	7.77	7.44	99
25+25+42	1.96	1.96	3.29	-	7.20 2.90 - 8.50	1.704 -	2.475	7.83	7.48	7.17	99
25+25+50	1.80	1.80	3.60	-	7.20 2.90 - 8.50	1.642 -	2.455	7.54	7.21	6.91	99
25+25+60	1.64	1.64	3.93	-	7.20 2.90 - 8.50	1.581 -	2.440	7.26	6.94	6.65	99
25+35+35	1.89	2.65	2.65	-	7.20 2.90 - 8.50	1.704 -	2.480	7.83	7.48	7.17	99
25+35+42	1.76	2.47	2.96	-	7.20 2.90 - 8.50	1.639 -	2.465	7.53	7.20	6.90	99
25+35+50	1.64	2.29	3.27	-	7.20 2.90 - 8.50	1.610 -	2.450	7.39	7.07	6.78	99
25+35+60	1.50	2.10	3.60	-	7.20 2.90 - 8.50	1.581 -	2.440	7.26	6.94	6.65	99
25+42+42	1.65	2.77	2.77	-	7.20 2.90 - 8.50	1.601 -	2.450	7.35	7.03	6.74	99
25+42+50	1.54	2.58	3.08	-	7.20 2.90 - 8.50	1.591 -	2.440	7.30	6.99	6.70	99
25+50+50	1.44	2.88	2.88	-	7.20 2.90 - 8.50	1.581 -	2.430	7.26	6.94	6.65	99
35+35+35	2.40	2.40	2.40	-	7.20 2.90 - 8.50	1.639 -	2.470	7.53	7.20	6.90	99
35+35+42	2.25	2.25	2.70	-	7.20 2.90 - 8.50	1.620 -	2.460	7.44	7.11	6.82	99
35+35+50	2.10	2.10	3.00	-	7.20 2.90 - 8.50	1.610 -	2.450	7.39	7.07	6.78	99
35+42+42	2.12	2.54	2.54	-	7.20 2.90 - 8.50	1.601 -	2.450	7.35	7.03	6.74	99
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 8.00	1.734 -	3.190	7.96	7.62	7.30	99
15+15+15+18	1.50	1.50	1.50	1.80	6.30 3.70 - 8.20	1.950 -	3.340	8.95	8.56	8.21	99
15+15+15+20	1.50	1.50	1.50	2.00	6.50 3.70 - 8.00	2.053 -	3.390	9.43	9.02	8.64	99
15+15+15+22	1.50	1.50	1.50	2.20	6.70 3.70 - 8.20	2.081 -	3.340	9.55	9.14	8.76	99
15+15+15+25	1.50	1.50	1.50	2.50	7.00 3.70 - 8.20	2.179 -	3.340	10.00	9.57	9.17	99
15+15+15+35	1.35	1.35	1.35	3.15	7.20 3.70 - 8.20	2.245 -	3.340	10.31	9.86	9.45	99

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+15+15+42	1.24	1.24	1.24	3.48	7.20 - 3.70 8.20	2.225 -	3.330	10.22	9.77	9.37	99
15+15+15+50	1.14	1.14	1.14	3.79	7.20 - 3.70 8.20	2.215 -	3.320	10.17	9.73	9.32	99
15+15+15+60	1.03	1.03	1.03	4.11	7.20 - 3.70 8.20	2.186 -	3.310	10.04	9.60	9.20	99
15+15+18+18	1.50	1.50	1.80	1.80	6.60 - 3.70 8.40	2.009 -	3.290	9.22	8.82	8.45	99
15+15+18+20	1.50	1.50	1.80	2.00	6.80 - 3.70 8.20	2.114 -	3.340	9.70	9.28	8.90	99
15+15+18+22	1.50	1.50	1.80	2.20	7.00 - 3.70 8.40	2.140 -	3.290	9.82	9.40	9.01	99
15+15+18+25	1.48	1.48	1.78	2.47	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+18+35	1.30	1.30	1.56	3.04	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+18+42	1.20	1.20	1.44	3.36	7.20 - 3.70 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+15+18+50	1.10	1.10	1.32	3.67	7.20 - 3.70 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+15+18+60	1.00	1.00	1.20	4.00	7.20 - 3.70 8.40	2.148 -	3.260	9.86	9.43	9.04	99
15+15+20+20	1.50	1.50	2.00	2.00	7.00 - 3.70 8.00	2.217 -	3.390	10.18	9.74	9.33	99
15+15+20+25	1.44	1.44	1.92	2.40	7.20 - 3.70 8.20	2.245 -	3.340	10.31	9.86	9.45	99
15+15+20+35	1.27	1.27	1.69	2.96	7.20 - 3.70 8.20	2.245 -	3.340	10.31	9.86	9.45	99
15+15+20+42	1.17	1.17	1.57	3.29	7.20 - 3.70 8.20	2.225 -	3.330	10.22	9.77	9.37	99
15+15+20+50	1.08	1.08	1.44	3.60	7.20 - 3.70 8.20	2.215 -	3.320	10.17	9.73	9.32	99
15+15+20+60	0.98	0.98	1.31	3.93	7.20 - 3.70 8.20	2.186 -	3.310	10.04	9.60	9.20	99
15+15+22+22	1.46	1.46	2.14	2.14	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+22+25	1.40	1.40	2.06	2.34	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+22+35	1.24	1.24	1.82	2.90	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+22+42	1.15	1.15	1.69	3.22	7.20 - 3.70 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+15+22+50	1.06	1.06	1.55	3.53	7.20 - 3.70 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+15+22+60	0.96	0.96	1.41	3.86	7.20 - 3.70 8.40	2.148 -	3.260	9.86	9.43	9.04	99
15+15+25+25	1.35	1.35	2.25	2.25	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+25+35	1.20	1.20	2.00	2.80	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+25+42	1.11	1.11	1.86	3.12	7.20 - 3.70 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+15+25+50	1.03	1.03	1.71	3.43	7.20 - 3.70 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+15+25+60	0.94	0.94	1.57	3.76	7.20 - 3.70 8.40	2.148 -	3.260	9.86	9.43	9.04	99
15+15+35+35	1.08	1.08	2.52	2.52	7.20 - 3.70 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+15+35+42	1.01	1.01	2.36	2.83	7.20 - 3.70 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+15+35+50	0.94	0.94	2.19	3.13	7.20 - 3.70 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+15+35+60	0.86	0.86	2.02	3.46	7.20 - 3.70 8.40	2.148 -	3.260	9.86	9.43	9.04	99
15+15+42+42	0.95	0.95	2.65	2.65	7.20 - 3.70 8.40	2.167 -	3.270	9.95	9.52	9.12	99
15+15+42+50	0.89	0.89	2.48	2.95	7.20 - 3.70 8.40	2.157 -	3.260	9.90	9.47	9.08	99
15+18+18+18	1.50	1.80	1.80	1.80	6.90 - 3.70 8.60	2.069 -	3.240	9.50	9.09	8.71	99
15+18+18+20	1.50	1.80	1.80	2.00	7.10 - 3.70 8.40	2.173 -	3.290	9.98	9.54	9.14	99
15+18+18+22	1.48	1.78	1.78	2.17	7.20 - 3.70 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+18+18+25	1.42	1.71	1.71	2.37	7.20 - 3.70 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+18+18+35	1.26	1.51	1.51	2.93	7.20 - 3.70 8.60	2.167 -	3.240	9.95	9.52	9.12	99

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+18+18+42	1.16	1.39	1.39	3.25	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+18+50	1.07	1.28	1.28	3.56	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+18+60	0.97	1.17	1.17	3.89	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+18+20+20	1.48	1.78	1.97	1.97	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+18+20+22	1.44	1.73	1.92	2.11	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+18+20+25	1.38	1.66	1.85	2.31	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+18+20+35	1.23	1.47	1.64	2.86	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+18+20+42	1.14	1.36	1.52	3.18	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+18+20+50	1.05	1.26	1.40	3.50	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+18+20+60	0.96	1.15	1.27	3.82	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99
15+18+22+22	1.40	1.68	2.06	2.06	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+22+25	1.35	1.62	1.98	2.25	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+22+35	1.20	1.44	1.76	2.80	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+22+42	1.11	1.34	1.63	3.12	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+22+50	1.03	1.23	1.51	3.43	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+22+60	0.94	1.13	1.38	3.76	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+18+25+25	1.30	1.56	2.17	2.17	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+25+35	1.16	1.39	1.94	2.71	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+25+42	1.08	1.30	1.80	3.02	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+25+50	1.00	1.20	1.67	3.33	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+25+60	0.92	1.10	1.53	3.66	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
15+18+35+35	1.05	1.26	2.45	2.45	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
15+18+35+42	0.98	1.18	2.29	2.75	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
15+18+35+50	0.92	1.10	2.14	3.05	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
15+18+42+42	0.92	1.11	2.58	2.58	7.20 3.70 - 8.60	2.128 - 3.220	0.830	9.77	9.35	8.96	99
15+18+42+50	0.86	1.04	2.42	2.88	7.20 3.70 - 8.60	2.118 - 3.210	0.830	9.73	9.30	8.92	99
15+20+20+20	1.44	1.92	1.92	1.92	7.20 3.70 - 8.00	2.283 - 3.390	0.920	10.48	10.03	9.61	99
15+20+20+22	1.40	1.87	1.87	2.06	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+20+20+25	1.35	1.80	1.80	2.25	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+20+20+35	1.20	1.60	1.60	2.80	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
15+20+20+42	1.11	1.48	1.48	3.12	7.20 3.70 - 8.20	2.225 - 3.330	0.890	10.22	9.77	9.37	99
15+20+20+50	1.03	1.37	1.37	3.43	7.20 3.70 - 8.20	2.215 - 3.320	0.890	10.17	9.73	9.32	99
15+20+20+60	0.94	1.25	1.25	3.76	7.20 3.70 - 8.20	2.186 - 3.310	0.890	10.04	9.60	9.20	99
15+20+22+22	1.37	1.82	2.01	2.01	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+22+25	1.32	1.76	1.93	2.20	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+22+35	1.17	1.57	1.72	2.74	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
15+20+22+42	1.09	1.45	1.60	3.05	7.20 3.70 - 8.40	2.186 - 3.280	0.860	10.04	9.60	9.20	99
15+20+22+50	1.01	1.35	1.48	3.36	7.20 3.70 - 8.40	2.177 - 3.270	0.860	9.99	9.56	9.16	99
15+20+22+60	0.92	1.23	1.35	3.69	7.20 3.70 - 8.40	2.148 - 3.260	0.860	9.86	9.43	9.04	99

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+20+25+25	1.27	1.69	2.12	2.12	7.20 3.70 - 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+20+25+35	1.14	1.52	1.89	2.65	7.20 3.70 - 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+20+25+42	1.06	1.41	1.76	2.96	7.20 3.70 - 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+20+25+50	0.98	1.31	1.64	3.27	7.20 3.70 - 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+20+25+60	0.90	1.20	1.50	3.60	7.20 3.70 - 8.40	2.148 -	3.260	9.86	9.43	9.04	99
15+20+35+35	1.03	1.37	2.40	2.40	7.20 3.70 - 8.40	2.206 -	3.290	10.13	9.69	9.28	99
15+20+35+42	0.96	1.29	2.25	2.70	7.20 3.70 - 8.40	2.186 -	3.280	10.04	9.60	9.20	99
15+20+35+50	0.90	1.20	2.10	3.00	7.20 3.70 - 8.40	2.177 -	3.270	9.99	9.56	9.16	99
15+20+42+42	0.91	1.21	2.54	2.54	7.20 3.70 - 8.40	2.167 -	3.270	9.95	9.52	9.12	99
15+22+22+22	1.33	1.96	1.96	1.96	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+22+25	1.29	1.89	1.89	2.14	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+22+35	1.15	1.69	1.69	2.68	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+22+42	1.07	1.57	1.57	2.99	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+22+22+50	0.99	1.45	1.45	3.30	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+22+22+60	0.91	1.33	1.33	3.63	7.20 3.70 - 8.60	2.109 -	3.210	9.68	9.26	8.88	99
15+22+25+25	1.24	1.82	2.07	2.07	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+25+35	1.11	1.63	1.86	2.60	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+25+42	1.04	1.52	1.73	2.91	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+22+25+50	0.96	1.41	1.61	3.21	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+22+25+60	0.89	1.30	1.48	3.54	7.20 3.70 - 8.60	2.109 -	3.210	9.68	9.26	8.88	99
15+22+35+35	1.01	1.48	2.36	2.36	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+22+35+42	0.95	1.39	2.21	2.65	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+22+35+50	0.89	1.30	2.07	2.95	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+22+42+42	0.89	1.31	2.50	2.50	7.20 3.70 - 8.60	2.128 -	3.220	9.77	9.35	8.96	99
15+25+25+25	1.20	2.00	2.00	2.00	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+25+25+35	1.08	1.80	1.80	2.52	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+25+25+42	1.01	1.68	1.68	2.83	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+25+25+50	0.94	1.57	1.57	3.13	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+25+25+60	0.86	1.44	1.44	3.46	7.20 3.70 - 8.60	2.109 -	3.210	9.68	9.26	8.88	99
15+25+35+35	0.98	1.64	2.29	2.29	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
15+25+35+42	0.92	1.54	2.15	2.58	7.20 3.70 - 8.60	2.148 -	3.230	9.86	9.43	9.04	99
15+25+35+50	0.86	1.44	2.02	2.88	7.20 3.70 - 8.60	2.138 -	3.220	9.82	9.39	9.00	99
15+25+42+42	0.87	1.45	2.44	2.44	7.20 3.70 - 8.60	2.128 -	3.220	9.77	9.35	8.96	99
15+35+35+35	0.90	2.10	2.10	2.10	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.70 - 8.80	1.770 -	3.190	8.13	7.77	7.45	99
18+18+18+20	1.75	1.75	1.75	1.95	7.20 3.70 - 8.60	2.167 -	3.240	9.95	9.52	9.12	99
18+18+18+22	1.71	1.71	1.71	2.08	7.20 3.70 - 8.80	2.128 -	3.190	9.77	9.35	8.96	99
18+18+18+25	1.64	1.64	1.64	2.28	7.20 3.70 - 8.80	2.128 -	3.190	9.77	9.35	8.96	99
18+18+18+35	1.46	1.46	1.46	2.83	7.20 3.70 - 8.80	2.128 -	3.190	9.77	9.35	8.96	99



**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240	
18+18+18+42	1.35	1.35	1.35	3.15	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99		
18+18+18+50	1.25	1.25	1.25	3.46	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99		
18+18+18+60	1.14	1.14	1.14	3.79	7.20 - 3.70 8.80	2.070 - 0.800 3.160	9.50	9.09	8.71	99		
18+18+20+20	1.71	1.71	1.89	1.89	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99		
18+18+20+22	1.66	1.66	1.85	2.03	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99		
18+18+20+25	1.60	1.60	1.78	2.22	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99		
18+18+20+35	1.42	1.42	1.58	2.77	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99		
18+18+20+42	1.32	1.32	1.47	3.09	7.20 - 3.70 8.60	2.148 - 0.830 3.230	9.86	9.43	9.04	99		
18+18+20+50	1.22	1.22	1.36	3.40	7.20 - 3.70 8.60	2.138 - 0.830 3.220	9.82	9.39	9.00	99		
18+18+20+60	1.12	1.12	1.24	3.72	7.20 - 3.70 8.60	2.109 - 0.830 3.210	9.68	9.26	8.88	99		
18+18+22+22	1.62	1.62	1.98	1.98	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99		
18+18+22+25	1.56	1.56	1.91	2.17	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99		
18+18+22+35	1.39	1.39	1.70	2.71	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99		
18+18+22+42	1.30	1.30	1.58	3.02	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99		
18+18+22+50	1.20	1.20	1.47	3.33	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99		
18+18+22+60	1.10	1.10	1.34	3.66	7.20 - 3.70 8.80	2.070 - 0.800 3.160	9.50	9.09	8.71	99		
18+18+25+25	1.51	1.51	2.09	2.09	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99		
18+18+25+35	1.35	1.35	1.88	2.63	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99		
18+18+25+42	1.26	1.26	1.75	2.94	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99		
18+18+25+50	1.17	1.17	1.62	3.24	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99		
18+18+25+60	1.07	1.07	1.49	3.57	7.20 - 3.70 8.80	2.070 - 0.800 3.160	9.50	9.09	8.71	99		
18+18+35+35	1.22	1.22	2.38	2.38	7.20 - 3.70 8.80	2.128 - 0.800 3.190	9.77	9.35	8.96	99		
18+18+35+42	1.15	1.15	2.23	2.68	7.20 - 3.70 8.80	2.109 - 0.800 3.180	9.68	9.26	8.88	99		
18+18+35+50	1.07	1.07	2.08	2.98	7.20 - 3.70 8.80	2.099 - 0.800 3.170	9.64	9.22	8.83	99		
18+18+42+42	1.08	1.08	2.52	2.52	7.20 - 3.70 8.80	2.089 - 0.800 3.170	9.59	9.18	8.79	99		
18+20+20+20	1.66	1.85	1.85	1.85	7.20 - 3.70 8.20	2.245 - 0.890 3.340	10.31	9.86	9.45	99		
18+20+20+22	1.62	1.80	1.80	1.98	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99		
18+20+20+25	1.56	1.73	1.73	2.17	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99		
18+20+20+35	1.39	1.55	1.55	2.71	7.20 - 3.70 8.40	2.206 - 0.860 3.290	10.13	9.69	9.28	99		
18+20+20+42	1.30	1.44	1.44	3.02	7.20 - 3.70 8.40	2.186 - 0.860 3.280	10.04	9.60	9.20	99		
18+20+20+50	1.20	1.33	1.33	3.33	7.20 - 3.70 8.40	2.177 - 0.860 3.270	9.99	9.56	9.16	99		
18+20+20+60	1.10	1.22	1.22	3.66	7.20 - 3.70 8.40	2.148 - 0.860 3.260	9.86	9.43	9.04	99		
18+20+22+22	1.58	1.76	1.93	1.93	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99		
18+20+22+25	1.52	1.69	1.86	2.12	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99		
18+20+22+35	1.36	1.52	1.67	2.65	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99		
18+20+22+42	1.27	1.41	1.55	2.96	7.20 - 3.70 8.60	2.148 - 0.830 3.230	9.86	9.43	9.04	99		
18+20+22+50	1.18	1.31	1.44	3.27	7.20 - 3.70 8.60	2.138 - 0.830 3.220	9.82	9.39	9.00	99		
18+20+22+60	1.08	1.20	1.32	3.60	7.20 - 3.70 8.60	2.109 - 0.830 3.210	9.68	9.26	8.88	99		
18+20+25+25	1.47	1.64	2.05	2.05	7.20 - 3.70 8.60	2.167 - 0.830 3.240	9.95	9.52	9.12	99		

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+20+25+35	1.32	1.47	1.84	2.57	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+20+25+42	1.23	1.37	1.71	2.88	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
18+20+25+50	1.15	1.27	1.59	3.19	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
18+20+25+60	1.05	1.17	1.46	3.51	7.20 3.70 - 8.60	2.109 - 3.210	0.830	9.68	9.26	8.88	99
18+20+35+35	1.20	1.33	2.33	2.33	7.20 3.70 - 8.60	2.167 - 3.240	0.830	9.95	9.52	9.12	99
18+20+35+42	1.13	1.25	2.19	2.63	7.20 3.70 - 8.60	2.148 - 3.230	0.830	9.86	9.43	9.04	99
18+20+35+50	1.05	1.17	2.05	2.93	7.20 3.70 - 8.60	2.138 - 3.220	0.830	9.82	9.39	9.00	99
18+20+42+42	1.06	1.18	2.48	2.48	7.20 3.70 - 8.60	2.128 - 3.220	0.830	9.77	9.35	8.96	99
18+22+22+22	1.54	1.89	1.89	1.89	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+22+25	1.49	1.82	1.82	2.07	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+22+35	1.34	1.63	1.63	2.60	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+22+42	1.25	1.52	1.52	2.91	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+22+22+50	1.16	1.41	1.41	3.21	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+22+22+60	1.06	1.30	1.30	3.54	7.20 3.70 - 8.80	2.070 - 3.160	0.800	9.50	9.09	8.71	99
18+22+25+25	1.44	1.76	2.00	2.00	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+25+35	1.30	1.58	1.80	2.52	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+25+42	1.21	1.48	1.68	2.83	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+22+25+50	1.13	1.38	1.57	3.13	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+22+25+60	1.04	1.27	1.44	3.46	7.20 3.70 - 8.80	2.070 - 3.160	0.800	9.50	9.09	8.71	99
18+22+35+35	1.18	1.44	2.29	2.29	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+22+35+42	1.11	1.35	2.15	2.58	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+22+35+50	1.04	1.27	2.02	2.88	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+22+42+42	1.05	1.28	2.44	2.44	7.20 3.70 - 8.80	2.089 - 3.170	0.800	9.59	9.18	8.79	99
18+25+25+25	1.39	1.94	1.94	1.94	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+25+25+35	1.26	1.75	1.75	2.45	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+25+25+42	1.18	1.64	1.64	2.75	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+25+25+50	1.10	1.53	1.53	3.05	7.20 3.70 - 8.80	2.099 - 3.170	0.800	9.64	9.22	8.83	99
18+25+35+35	1.15	1.59	2.23	2.23	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
18+25+35+42	1.08	1.50	2.10	2.52	7.20 3.70 - 8.80	2.109 - 3.180	0.800	9.68	9.26	8.88	99
18+35+35+35	1.05	2.05	2.05	2.05	7.20 3.70 - 8.80	2.128 - 3.190	0.800	9.77	9.35	8.96	99
20+20+20+20	1.80	1.80	1.80	1.80	7.20 3.70 - 8.00	2.128 - 3.190	0.800	9.77	9.35	8.96	99
20+20+20+22	1.76	1.76	1.76	1.93	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
20+20+20+25	1.69	1.69	1.69	2.12	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
20+20+20+35	1.52	1.52	1.52	2.65	7.20 3.70 - 8.20	2.245 - 3.340	0.890	10.31	9.86	9.45	99
20+20+20+42	1.41	1.41	1.41	2.96	7.20 3.70 - 8.20	2.225 - 3.330	0.890	10.22	9.77	9.37	99
20+20+20+50	1.31	1.31	1.31	3.27	7.20 3.70 - 8.20	2.215 - 3.320	0.890	10.17	9.73	9.32	99
20+20+20+60	1.20	1.20	1.20	3.60	7.20 3.70 - 8.20	2.186 - 3.310	0.890	10.04	9.60	9.20	99
20+20+22+22	1.71	1.71	1.89	1.89	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99
20+20+22+25	1.66	1.66	1.82	2.07	7.20 3.70 - 8.40	2.206 - 3.290	0.860	10.13	9.69	9.28	99

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)				
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240					
20+20+22+35	1.48	1.48	1.63	2.60	7.20 - 8.40	3.70	-	8.40	0.860	2.206 -	3.290	10.13	9.69	9.28	99
20+20+22+42	1.38	1.38	1.52	2.91	7.20 - 8.40	3.70	-	8.40	0.860	2.186 -	3.280	10.04	9.60	9.20	99
20+20+22+50	1.29	1.29	1.41	3.21	7.20 - 8.40	3.70	-	8.40	0.860	2.177 -	3.270	9.99	9.56	9.16	99
20+20+22+60	1.18	1.18	1.30	3.54	7.20 - 8.40	3.70	-	8.40	0.860	2.148 -	3.260	9.86	9.43	9.04	99
20+20+25+25	1.60	1.60	2.00	2.00	7.20 - 8.40	3.70	-	8.40	0.860	2.206 -	3.290	10.13	9.69	9.28	99
20+20+25+35	1.44	1.44	1.80	2.52	7.20 - 8.40	3.70	-	8.40	0.860	2.206 -	3.290	10.13	9.69	9.28	99
20+20+25+42	1.35	1.35	1.68	2.83	7.20 - 8.40	3.70	-	8.40	0.860	2.186 -	3.280	10.04	9.60	9.20	99
20+20+25+50	1.25	1.25	1.57	3.13	7.20 - 8.40	3.70	-	8.40	0.860	2.177 -	3.270	9.99	9.56	9.16	99
20+20+25+60	1.15	1.15	1.44	3.46	7.20 - 8.40	3.70	-	8.40	0.860	2.148 -	3.260	9.86	9.43	9.04	99
20+20+35+35	1.31	1.31	2.29	2.29	7.20 - 8.40	3.70	-	8.40	0.860	2.206 -	3.290	10.13	9.69	9.28	99
20+20+35+42	1.23	1.23	2.15	2.58	7.20 - 8.40	3.70	-	8.40	0.860	2.186 -	3.280	10.04	9.60	9.20	99
20+20+35+50	1.15	1.15	2.02	2.88	7.20 - 8.40	3.70	-	8.40	0.860	2.177 -	3.270	9.99	9.56	9.16	99
20+20+42+42	1.16	1.16	2.44	2.44	7.20 - 8.40	3.70	-	8.40	0.860	2.167 -	3.270	9.95	9.52	9.12	99
20+22+22+22	1.67	1.84	1.84	1.84	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+22+22+25	1.62	1.78	1.78	2.02	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+22+22+35	1.45	1.60	1.60	2.55	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+22+22+42	1.36	1.49	1.49	2.85	7.20 - 8.60	3.70	-	8.60	0.830	2.148 -	3.230	9.86	9.43	9.04	99
20+22+22+50	1.26	1.39	1.39	3.16	7.20 - 8.60	3.70	-	8.60	0.830	2.138 -	3.220	9.82	9.39	9.00	99
20+22+22+60	1.16	1.28	1.28	3.48	7.20 - 8.60	3.70	-	8.60	0.830	2.109 -	3.210	9.68	9.26	8.88	99
20+22+25+25	1.57	1.72	1.96	1.96	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+22+25+35	1.41	1.55	1.76	2.47	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+22+25+42	1.32	1.45	1.65	2.77	7.20 - 8.60	3.70	-	8.60	0.830	2.148 -	3.230	9.86	9.43	9.04	99
20+22+25+50	1.23	1.35	1.54	3.08	7.20 - 8.60	3.70	-	8.60	0.830	2.138 -	3.220	9.82	9.39	9.00	99
20+22+35+35	1.29	1.41	2.25	2.25	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+22+35+42	1.21	1.33	2.12	2.54	7.20 - 8.60	3.70	-	8.60	0.830	2.148 -	3.230	9.86	9.43	9.04	99
20+25+25+25	1.52	1.89	1.89	1.89	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+25+25+35	1.37	1.71	1.71	2.40	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+25+25+42	1.29	1.61	1.61	2.70	7.20 - 8.60	3.70	-	8.60	0.830	2.148 -	3.230	9.86	9.43	9.04	99
20+25+25+50	1.20	1.50	1.50	3.00	7.20 - 8.60	3.70	-	8.60	0.830	2.138 -	3.220	9.82	9.39	9.00	99
20+25+35+35	1.25	1.57	2.19	2.19	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
20+25+35+42	1.18	1.48	2.07	2.48	7.20 - 8.60	3.70	-	8.60	0.830	2.148 -	3.230	9.86	9.43	9.04	99
20+35+35+35	1.15	2.02	2.02	2.02	7.20 - 8.60	3.70	-	8.60	0.830	2.167 -	3.240	9.95	9.52	9.12	99
22+22+22+22	1.80	1.80	1.80	1.80	7.20 - 8.80	3.70	-	8.80	0.800	2.128 -	3.190	9.77	9.35	8.96	99
22+22+22+25	1.74	1.74	1.74	1.98	7.20 - 8.80	3.70	-	8.80	0.800	2.128 -	3.190	9.77	9.35	8.96	99
22+22+22+35	1.57	1.57	1.57	2.50	7.20 - 8.80	3.70	-	8.80	0.800	2.128 -	3.190	9.77	9.35	8.96	99
22+22+22+42	1.47	1.47	1.47	2.80	7.20 - 8.80	3.70	-	8.80	0.800	2.109 -	3.180	9.68	9.26	8.88	99
22+22+22+50	1.37	1.37	1.37	3.10	7.20 - 8.80	3.70	-	8.80	0.800	2.099 -	3.170	9.64	9.22	8.83	99
22+22+25+25	1.69	1.69	1.91	1.91	7.20 - 8.80	3.70	-	8.80	0.800	2.128 -	3.190	9.77	9.35	8.96	99
22+22+25+35	1.52	1.52	1.73	2.42	7.20 - 8.80	3.70	-	8.80	0.800	2.128 -	3.190	9.77	9.35	8.96	99

**MXZ-4F72VF COOLING**

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)				
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240					
22+22+25+42	1.43	1.43	1.62	2.72	7.20 - 8.80	3.70	-	8.80	2.109 - 3.180	0.800	-	3.180	9.68	9.26	8.88	99
22+22+25+50	1.33	1.33	1.51	3.03	7.20 - 8.80	3.70	-	8.80	2.099 - 3.170	0.800	-	3.170	9.64	9.22	8.83	99
22+22+35+35	1.39	1.39	2.21	2.21	7.20 - 8.80	3.70	-	8.80	2.128 - 3.190	0.800	-	3.190	9.77	9.35	8.96	99
22+22+35+42	1.31	1.31	2.08	2.50	7.20 - 8.80	3.70	-	8.80	2.109 - 3.180	0.800	-	3.180	9.68	9.26	8.88	99
22+25+25+25	1.63	1.86	1.86	1.86	7.20 - 8.80	3.70	-	8.80	2.128 - 3.190	0.800	-	3.190	9.77	9.35	8.96	99
22+25+25+35	1.48	1.68	1.68	2.36	7.20 - 8.80	3.70	-	8.80	2.128 - 3.190	0.800	-	3.190	9.77	9.35	8.96	99
22+25+25+42	1.39	1.58	1.58	2.65	7.20 - 8.80	3.70	-	8.80	2.109 - 3.180	0.800	-	3.180	9.68	9.26	8.88	99
22+25+25+50	1.30	1.48	1.48	2.95	7.20 - 8.80	3.70	-	8.80	2.099 - 3.170	0.800	-	3.170	9.64	9.22	8.83	99
22+25+35+35	1.35	1.54	2.15	2.15	7.20 - 8.80	3.70	-	8.80	2.128 - 3.190	0.800	-	3.190	9.77	9.35	8.96	99
22+25+35+42	1.28	1.45	2.03	2.44	7.20 - 8.80	3.70	-	8.80	2.109 - 3.180	0.800	-	3.180	9.68	9.26	8.88	99
25+25+25+25	1.80	1.80	1.80	1.80	7.20 - 8.80	3.70	-	8.80	2.128 - 3.190	0.800	-	3.190	9.77	9.35	8.96	99
25+25+25+35	1.64	1.64	1.64	2.29	7.20 - 8.80	3.70	-	8.80	2.128 - 3.190	0.800	-	3.190	9.77	9.35	8.96	99
25+25+25+42	1.54	1.54	1.54	2.58	7.20 - 8.80	3.70	-	8.80	2.109 - 3.180	0.800	-	3.180	9.68	9.26	8.88	99
25+25+25+50	1.44	1.44	1.44	2.88	7.20 - 8.80	3.70	-	8.80	2.099 - 3.170	0.800	-	3.170	9.64	9.22	8.83	99
25+25+35+35	1.50	1.50	2.10	2.10	7.20 - 8.80	3.70	-	8.80	2.128 - 3.190	0.800	-	3.190	9.77	9.35	8.96	99