

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)			
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240				
15	1.70	-	-	-	1.70	-	2.80	0.502	-	0.780	2.30	2.20	2.11	99
18	3.30	-	-	-	3.30	-	4.50	0.480	-	1.250	3.58	3.43	3.28	99
20	2.20	-	-	-	2.20	-	2.50	0.590	-	0.780	2.89	2.77	2.65	99
22	3.30	-	-	-	3.30	-	4.50	0.480	-	1.250	3.58	3.43	3.28	99
25	3.60	-	-	-	3.60	-	5.30	0.460	-	1.480	3.81	3.65	3.49	99
35	4.00	-	-	-	4.00	-	5.30	0.460	-	1.480	4.41	4.22	4.04	99
42	5.40	-	-	-	5.40	-	5.60	0.460	-	1.564	6.92	6.62	6.35	99
50	5.80	-	-	-	5.80	-	6.80	0.460	-	2.431	7.44	7.11	6.82	99
60	7.90	-	-	-	7.90	-	8.60	0.440	-	3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	-	1.80	3.40	5.00	0.670	-	1.300	3.58	3.43	3.28	99
15+18	1.70	3.30	-	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	-	1.80	3.90	5.80	0.650	-	1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+25	1.60	3.40	-	-	1.80	5.00	6.10	0.540	-	1.530	5.16	4.93	4.73	99
15+35	1.67	3.93	-	-	1.80	5.60	7.90	0.540	-	2.190	5.94	5.68	5.44	99
15+42	1.46	4.64	-	-	1.80	6.10	7.90	0.540	-	2.190	6.51	6.22	5.96	99
15+50	1.28	5.42	-	-	1.80	6.70	7.90	0.540	-	2.180	7.09	6.78	6.50	99
15+60	1.24	5.76	-	-	1.80	7.00	7.90	0.540	-	2.150	7.52	7.19	6.89	99
18+18	3.30	3.30	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+20	3.30	2.20	-	-	1.80	5.50	6.90	0.520	-	1.855	5.92	5.66	5.43	99
18+22	3.30	3.30	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+25	3.16	3.44	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
18+35	3.30	4.00	-	-	1.80	7.30	9.00	0.410	-	2.420	7.76	7.42	7.11	99
18+42	3.00	4.90	-	-	1.80	7.90	9.00	0.410	-	2.420	8.32	7.96	7.63	99
18+50	2.70	5.80	-	-	1.80	8.50	9.00	0.410	-	2.410	8.89	8.50	8.15	99
18+60	2.53	6.07	-	-	1.80	8.60	9.00	0.400	-	2.365	9.15	8.75	8.39	99
20+20	2.20	2.20	-	-	1.80	4.40	6.60	0.630	-	1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	-	1.80	5.50	6.90	0.520	-	1.855	5.92	5.66	5.43	99
20+25	2.12	3.48	-	-	1.80	5.60	7.20	0.520	-	1.965	6.06	5.80	5.56	99
20+35	2.20	4.00	-	-	1.80	6.20	8.70	0.520	-	2.515	7.11	6.80	6.52	99
20+42	2.00	4.90	-	-	1.80	6.90	8.70	0.520	-	2.515	7.67	7.33	7.03	99
20+50	1.76	5.74	-	-	1.80	7.50	8.70	0.520	-	2.505	8.23	7.88	7.55	99
20+60	1.63	5.87	-	-	1.80	7.50	8.70	0.510	-	2.450	8.38	8.02	7.68	99
22+22	3.30	3.30	-	-	1.80	6.60	7.20	0.410	-	1.760	6.73	6.44	6.17	99
22+25	3.30	3.60	-	-	1.80	6.90	8.10	0.410	-	2.095	7.15	6.83	6.55	99
22+35	3.30	4.00	-	-	1.80	7.30	9.00	0.410	-	2.420	8.08	7.73	7.41	99
22+42	3.11	5.09	-	-	1.80	8.20	9.00	0.410	-	2.420	8.63	8.25	7.91	99
22+60	2.53	6.07	-	-	1.80	8.60	9.00	0.400	-	2.350	9.23	8.83	8.46	99
25+25	3.60	3.60	-	-	1.80	7.20	9.00	0.410	-	2.430	7.56	7.23	6.93	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
25+35	3.60	4.00	-	-	7.60 1.80 - 9.00	1.813 - 2.420	0.410	8.32	7.96	7.63	99
25+42	3.36	5.04	-	-	8.40 1.80 - 9.00	1.930 - 2.420	0.410	8.86	8.47	8.12	99
25+50	2.87	5.73	-	-	8.60 1.80 - 9.00	1.990 - 2.390	0.410	9.14	8.74	8.38	99
25+60	2.69	5.91	-	-	8.60 1.80 - 9.00	2.002 - 2.335	0.400	9.19	8.79	8.43	99
35+35	4.00	4.00	-	-	8.00 1.80 - 9.00	1.970 - 2.410	0.410	9.04	8.65	8.29	99
35+42	3.66	4.94	-	-	8.60 1.80 - 9.00	1.999 - 2.380	0.410	9.18	8.78	8.41	99
35+50	3.07	5.53	-	-	8.60 1.80 - 9.00	2.002 - 2.335	0.400	9.19	8.79	8.43	99
35+60	2.89	5.71	-	-	8.60 1.90 - 9.00	1.827 - 2.275	0.370	8.39	8.02	7.69	99
42+42	4.30	4.30	-	-	8.60 1.80 - 9.00	2.029 - 2.350	0.400	9.31	8.91	8.54	99
42+50	3.69	4.91	-	-	8.60 1.90 - 9.00	1.887 - 2.300	0.380	8.66	8.29	7.94	99
42+60	3.49	5.11	-	-	8.60 1.90 - 9.00	1.742 - 2.235	0.360	8.00	7.65	7.33	99
50+50	4.30	4.30	-	-	8.60 1.90 - 9.00	1.744 - 2.250	0.360	8.01	7.66	7.34	99
50+60	4.10	4.50	-	-	8.60 1.90 - 9.00	1.725 - 2.160	0.360	7.92	7.57	7.26	99
60+60	4.30	4.30	-	-	8.60 1.90 - 9.00	1.705 - 2.070	0.360	7.83	7.49	7.18	99
15+15+15	1.70	1.70	1.70	-	5.10 2.60 - 8.50	1.106 - 2.425	0.890	5.08	4.86	4.66	99
15+15+18	1.62	1.62	3.15	-	6.40 2.60 - 9.20	1.489 - 2.775	0.770	6.83	6.54	6.27	99
15+15+20	1.70	1.70	2.20	-	5.60 2.60 - 9.00	1.244 - 2.645	0.910	5.71	5.46	5.23	99
15+15+22	1.62	1.62	3.15	-	6.40 2.60 - 9.20	1.489 - 2.775	0.780	6.83	6.54	6.27	99
15+15+25	1.55	1.55	3.29	-	6.40 2.60 - 9.20	1.489 - 2.775	0.790	6.83	6.54	6.27	99
15+15+35	1.47	1.47	3.46	-	6.40 2.60 - 9.20	1.479 - 2.765	0.790	6.79	6.49	6.22	99
15+15+50	1.03	1.03	4.35	-	6.40 2.60 - 9.20	1.469 - 2.755	0.790	6.74	6.45	6.18	99
15+15+60	0.96	0.96	4.47	-	6.40 2.60 - 9.20	1.459 - 2.745	0.790	6.70	6.41	6.14	99
15+18+18	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 - 3.125	0.650	8.59	8.22	7.87	99
15+18+20	1.63	3.16	2.11	-	6.90 2.60 - 9.70	1.626 - 2.995	0.790	7.46	7.14	6.84	99
15+18+22	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 - 3.125	0.660	8.59	8.22	7.87	99
15+18+25	1.48	2.88	3.14	-	7.50 2.60 - 9.90	1.871 - 3.125	0.640	8.59	8.22	7.87	99
15+18+35	1.42	2.75	3.33	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+18+42	1.23	2.38	3.89	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+18+50	1.05	2.03	4.43	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+18+60	0.99	1.92	4.59	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+20+20	1.70	2.20	2.20	-	6.10 2.60 - 9.50	1.381 - 2.865	0.920	6.34	6.06	5.81	99
15+20+22	1.63	2.11	3.16	-	6.90 2.60 - 9.70	1.626 - 2.995	0.780	7.46	7.14	6.84	99
15+20+25	1.56	2.02	3.31	-	6.90 2.60 - 9.70	1.626 - 2.995	0.760	7.46	7.14	6.84	99
15+20+35	1.48	1.92	3.49	-	6.90 2.60 - 9.70	1.616 - 2.985	0.790	7.42	7.10	6.80	99
15+20+42	1.26	1.63	4.01	-	6.90 2.60 - 9.70	1.616 - 2.985	0.790	7.42	7.10	6.80	99
15+20+50	1.06	1.37	4.48	-	6.90 2.60 - 9.70	1.606 - 2.975	0.790	7.37	7.05	6.76	99
15+20+60	0.99	1.29	4.62	-	6.90 2.60 - 9.70	1.596 - 2.965	0.790	7.33	7.01	6.72	99
15+22+22	1.54	2.98	2.98	-	7.50 2.60 - 9.90	1.871 - 3.125	0.640	8.59	8.22	7.87	99
15+22+25	1.48	2.88	3.14	-	7.50 2.60 - 9.90	1.871 - 3.125	0.640	8.59	8.22	7.87	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+22+42	1.23	2.38	3.89	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+22+50	1.05	2.03	4.43	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+22+60	0.99	1.92	4.59	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+25+25	1.43	3.03	3.03	-	7.50 2.60 - 9.90	1.871 - 3.125	0.660	8.59	8.22	7.87	99
15+25+35	1.37	2.90	3.23	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+25+42	1.19	2.52	3.79	-	7.50 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+25+50	1.02	2.16	4.32	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+25+60	0.97	2.05	4.49	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+35	1.31	3.09	3.09	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+42	1.15	2.70	3.65	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+50	0.99	2.33	4.19	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+60	0.94	2.21	4.36	-	7.50 2.60 - 9.90	1.832 - 3.085	0.660	8.41	8.04	7.71	99
15+42+42	1.02	3.24	3.24	-	7.50 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+42+50	0.89	2.83	3.78	-	7.50 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+42+60	0.85	2.70	3.95	-	7.50 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+50	0.79	3.35	3.35	-	7.50 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+60	0.76	3.21	3.53	-	7.50 2.60 - 9.90	1.822 - 3.075	0.640	8.36	8.00	7.67	99
18+18+18	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+18+20	3.00	3.00	2.00	-	8.00 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+18+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+18+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+20+20	3.17	2.11	2.11	-	7.40 2.60 - 10.20	1.763 - 3.215	0.770	8.09	7.74	7.42	99
18+20+22	3.00	2.00	3.00	-	8.00 2.60 - 10.40	2.008 - 3.345	0.630	9.22	8.82	8.45	99
18+20+25	2.90	1.93	3.16	-	8.00 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+20+35	2.78	1.85	3.37	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99
18+20+42	2.42	1.61	3.96	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99
18+20+50	2.08	1.39	4.54	-	8.00 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99
18+20+60	1.97	1.31	4.72	-	8.00 2.60 - 10.40	1.979 - 3.315	0.660	9.08	8.69	8.33	99
18+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+25+25	2.70	2.95	2.95	-	8.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total	power consumption(kW)		220	230	240		
18+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99	
18+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99	
18+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99	
18+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99	
18+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99	
18+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99	
18+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99	
18+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	2.214 - 3.435	0.520	10.16	9.72	9.32	99	
18+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99	
18+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99	
18+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	2.214 - 3.435	0.520	10.16	9.72	9.32	99	
18+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	2.214 - 3.435	0.520	10.16	9.72	9.32	99	
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	1.518 - 3.085	0.890	6.97	6.67	6.39	99	
20+20+22	2.11	2.11	3.17	-	7.40 2.60 - 10.20	1.763 - 3.215	0.770	8.09	7.74	7.42	99	
20+20+25	2.04	2.04	3.33	-	7.40 2.60 - 10.20	1.763 - 3.215	0.790	8.09	7.74	7.42	99	
20+20+35	1.94	1.94	3.52	-	7.40 2.60 - 10.20	1.753 - 3.205	0.790	8.05	7.70	7.38	99	
20+20+42	1.66	1.66	4.08	-	7.40 2.60 - 10.20	1.753 - 3.205	0.790	8.05	7.70	7.38	99	
20+20+50	1.40	1.40	4.59	-	7.40 2.60 - 10.20	1.743 - 3.195	0.790	8.00	7.66	7.34	99	
20+20+60	1.32	1.32	4.75	-	7.40 2.60 - 10.20	1.734 - 3.185	0.790	7.96	7.61	7.30	99	
20+22+22	2.00	3.00	3.00	-	8.00 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99	
20+22+25	1.93	2.90	3.16	-	8.00 2.60 - 10.40	2.008 - 3.345	0.660	9.22	8.82	8.45	99	
20+22+35	1.85	2.78	3.37	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99	
20+22+42	1.61	2.42	3.96	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99	
20+22+50	1.39	2.08	4.54	-	8.00 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99	
20+22+60	1.31	1.97	4.72	-	8.00 2.60 - 10.40	1.979 - 3.315	0.660	9.08	8.69	8.33	99	
20+25+25	1.87	3.06	3.06	-	8.00 2.60 - 10.40	2.008 - 3.345	0.660	9.22	8.82	8.45	99	
20+25+35	1.80	2.94	3.27	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99	
20+25+42	1.57	2.57	3.86	-	8.00 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99	
20+25+50	1.35	2.22	4.43	-	8.00 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99	
20+25+60	1.28	2.10	4.61	-	8.00 2.60 - 10.40	1.979 - 3.315	0.660	9.08	8.69	8.33	99	
20+35+35	1.73	3.14	3.14	-	8.00 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99	
20+35+42	1.52	2.76	3.72	-	8.00 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99	
20+35+50	1.31	2.39	4.30	-	8.00 2.60 - 10.40	1.979 - 3.315	0.660	9.08	8.69	8.33	99	
20+35+60	1.25	2.27	4.48	-	8.00 2.60 - 10.40	1.969 - 3.305	0.650	9.04	8.65	8.29	99	
20+42+42	1.35	3.32	3.32	-	8.00 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99	
20+42+50	1.19	2.92	3.89	-	8.00 2.60 - 10.40	1.979 - 3.315	0.650	9.08	8.69	8.33	99	
20+42+60	1.14	2.79	4.08	-	8.00 2.60 - 10.40	1.969 - 3.305	0.640	9.04	8.65	8.29	99	
20+50+50	1.06	3.47	3.47	-	8.00 2.60 - 10.40	1.969 - 3.305	0.650	9.04	8.65	8.29	99	
22+22+22	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
22+22+25	2.78	2.78	3.04	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
22+22+35	2.68	2.68	3.25	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+22+42	2.37	2.37	3.87	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+22+50	2.06	2.06	4.49	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+22+60	1.96	1.96	4.69	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
22+25+35	2.60	2.84	3.16	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+25+42	2.31	2.52	3.78	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
22+25+50	2.01	2.20	4.39	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+25+60	1.92	2.09	4.59	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
22+35+35	2.51	3.04	3.04	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+35+42	2.23	2.71	3.66	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+35+50	1.96	2.37	4.27	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
22+35+60	1.87	2.26	4.47	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99	
22+42+42	2.01	3.29	3.29	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
22+42+50	1.78	2.92	3.89	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99	
22+42+60	1.71	2.80	4.09	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99	
22+50+50	1.60	3.50	3.50	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99	
25+25+25	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99	
25+25+35	2.76	2.76	3.07	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
25+25+42	2.46	2.46	3.69	-	8.60 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99	
25+25+50	2.15	2.15	4.30	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
25+25+60	2.05	2.05	4.50	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
25+35+35	2.67	2.97	2.97	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
25+35+42	2.38	2.65	3.57	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
25+35+50	2.09	2.32	4.18	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
25+35+60	2.00	2.22	4.38	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99	
25+42+42	2.15	3.23	3.23	-	8.60 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99	
25+42+50	1.91	2.87	3.82	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99	
25+50+50	1.72	3.44	3.44	-	8.60 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99	
35+35+35	2.87	2.87	2.87	-	8.60 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99	
35+35+42	2.57	2.57	3.47	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99	
35+35+50	2.26	2.26	4.07	-	8.60 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99	
35+42+42	2.32	3.14	3.14	-	8.60 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99	
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	1.462 0.880 - 2.470	6.71	6.42	6.15	99	
15+15+15+18	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99	
15+15+15+20	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	1.727 0.880 - 2.695	7.93	7.58	7.27	99	
15+15+15+22	1.50	1.50	1.50	2.91	7.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99	
15+15+15+25	1.45	1.45	1.45	3.06	7.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99	
15+15+15+35	1.38	1.38	1.38	3.25	7.40 3.40 - 9.80	1.619 0.810 - 2.540	7.43	7.11	6.81	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
15+15+15+42	1.20	1.20	1.20	3.81	7.40 3.40 - 9.80	1.619 - 2.700	0.810	7.43	7.11	6.81	99
15+15+15+50	1.02	1.02	1.02	4.33	7.40 3.40 - 9.80	1.609 - 2.710	0.810	7.39	7.07	6.77	99
15+15+15+60	0.97	0.97	0.97	4.50	7.40 3.40 - 9.80	1.599 - 2.700	0.810	7.34	7.02	6.73	99
15+15+18+18	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	1.795 - 2.630	0.740	8.24	7.88	7.56	99
15+15+18+20	1.49	1.49	2.89	1.93	7.80 3.40 - 10.10	1.893 - 2.775	0.810	8.69	8.32	7.97	99
15+15+18+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	1.795 - 2.630	0.740	8.24	7.88	7.56	99
15+15+18+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	1.795 - 2.630	0.740	8.24	7.88	7.56	99
15+15+18+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	1.786 - 2.690	0.740	8.20	7.84	7.51	99
15+15+18+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	1.786 - 2.800	0.740	8.20	7.84	7.51	99
15+15+18+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	1.776 - 2.790	0.740	8.15	7.80	7.47	99
15+15+18+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	1.766 - 2.780	0.740	8.11	7.76	7.43	99
15+15+20+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.991 - 2.920	0.880	9.14	8.75	8.38	99
15+15+20+25	1.44	1.44	1.87	3.05	7.80 3.40 - 10.10	1.893 - 2.775	0.810	8.69	8.32	7.97	99
15+15+20+35	1.38	1.38	1.79	3.25	7.80 3.40 - 10.10	1.884 - 2.880	0.810	8.65	8.27	7.93	99
15+15+20+42	1.21	1.21	1.56	3.83	7.80 3.40 - 10.10	1.884 - 2.945	0.810	8.65	8.27	7.93	99
15+15+20+50	1.04	1.04	1.34	4.39	7.80 3.40 - 10.10	1.874 - 2.935	0.810	8.60	8.23	7.89	99
15+15+20+60	0.98	0.98	1.27	4.56	7.80 3.40 - 10.10	1.864 - 2.925	0.810	8.56	8.19	7.84	99
15+15+22+22	1.33	1.33	2.57	2.57	7.80 3.40 - 10.10	1.795 - 2.630	0.740	8.24	7.88	7.56	99
15+15+22+25	1.29	1.29	2.50	2.73	7.80 3.40 - 10.10	1.795 - 2.630	0.740	8.24	7.88	7.56	99
15+15+22+35	1.24	1.24	2.41	2.92	7.80 3.40 - 10.10	1.786 - 2.780	0.740	8.20	7.84	7.51	99
15+15+22+42	1.10	1.10	2.13	3.48	7.80 3.40 - 10.10	1.786 - 2.800	0.740	8.20	7.84	7.51	99
15+15+22+50	0.95	0.95	1.85	4.04	7.80 3.40 - 10.10	1.776 - 2.790	0.740	8.15	7.80	7.47	99
15+15+22+60	0.91	0.91	1.76	4.22	7.80 3.40 - 10.10	1.766 - 2.780	0.740	8.11	7.76	7.43	99
15+15+25+25	1.25	1.25	2.65	2.65	7.80 3.40 - 10.10	1.795 - 2.630	0.740	8.24	7.88	7.56	99
15+15+25+35	1.21	1.21	2.55	2.84	7.80 3.40 - 10.10	1.786 - 2.800	0.740	8.20	7.84	7.51	99
15+15+25+42	1.07	1.07	2.26	3.40	7.80 3.40 - 10.10	1.786 - 2.800	0.740	8.20	7.84	7.51	99
15+15+25+50	0.93	0.93	1.98	3.95	7.80 3.40 - 10.10	1.776 - 2.790	0.740	8.15	7.80	7.47	99
15+15+25+60	0.89	0.89	1.88	4.14	7.80 3.40 - 10.10	1.766 - 2.780	0.740	8.11	7.76	7.43	99
15+15+35+35	1.16	1.16	2.74	2.74	7.80 3.40 - 10.10	1.776 - 2.790	0.740	8.15	7.80	7.47	99
15+15+35+42	1.04	1.04	2.44	3.29	7.80 3.40 - 10.10	1.776 - 2.790	0.740	8.15	7.80	7.47	99
15+15+35+50	0.91	0.91	2.14	3.85	7.80 3.40 - 10.10	1.766 - 2.780	0.740	8.11	7.76	7.43	99
15+15+35+60	0.87	0.87	2.04	4.03	7.80 3.40 - 10.10	1.756 - 2.770	0.740	8.06	7.71	7.39	99
15+15+42+42	0.93	0.93	2.97	2.97	7.80 3.40 - 10.10	1.776 - 2.790	0.740	8.15	7.80	7.47	99
15+15+42+50	0.83	0.83	2.63	3.51	7.80 3.40 - 10.10	1.766 - 2.780	0.740	8.11	7.76	7.43	99
15+18+18+18	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 - 2.710	0.670	9.01	8.62	8.26	99
15+18+18+20	1.33	2.58	2.58	1.72	8.20 3.40 - 10.40	2.060 - 2.855	0.740	9.46	9.05	8.67	99
15+18+18+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 - 2.710	0.670	9.01	8.62	8.26	99
15+18+18+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 - 2.710	0.670	9.01	8.62	8.26	99
15+18+18+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 - 2.835	0.670	8.96	8.57	8.22	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240		
15+18+18+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 -	2.880	8.96	8.57	8.22	99	
15+18+18+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 -	2.870	8.92	8.53	8.17	99	
15+18+18+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 -	2.860	8.87	8.49	8.13	99	
15+18+20+20	1.48	2.88	1.92	1.92	8.20 3.40 - 10.40	2.158 -	3.000	9.91	9.48	9.08	99	
15+18+20+22	1.33	2.58	1.72	2.58	8.20 3.40 - 10.40	2.060 -	2.855	9.46	9.05	8.67	99	
15+18+20+25	1.29	2.51	1.67	2.73	8.20 3.40 - 10.40	2.060 -	2.855	9.46	9.05	8.67	99	
15+18+20+35	1.24	2.42	1.61	2.93	8.20 3.40 - 10.40	2.050 -	3.025	9.41	9.00	8.63	99	
15+18+20+42	1.11	2.15	1.43	3.51	8.20 3.40 - 10.40	2.050 -	3.025	9.41	9.00	8.63	99	
15+18+20+50	0.97	1.88	1.25	4.10	8.20 3.40 - 10.40	2.040 -	3.015	9.37	8.96	8.59	99	
15+18+20+60	0.92	1.79	1.19	4.29	8.20 3.40 - 10.40	2.031 -	3.005	9.32	8.92	8.55	99	
15+18+22+22	1.20	2.33	2.33	2.33	8.20 3.40 - 10.40	1.962 -	2.710	9.01	8.62	8.26	99	
15+18+22+25	1.17	2.27	2.27	2.48	8.20 3.40 - 10.40	1.962 -	2.710	9.01	8.62	8.26	99	
15+18+22+35	1.13	2.20	2.20	2.67	8.20 3.40 - 10.40	1.952 -	2.880	8.96	8.57	8.22	99	
15+18+22+42	1.02	1.98	1.98	3.23	8.20 3.40 - 10.40	1.952 -	2.880	8.96	8.57	8.22	99	
15+18+22+50	0.90	1.75	1.75	3.81	8.20 3.40 - 10.40	1.942 -	2.870	8.92	8.53	8.17	99	
15+18+22+60	0.86	1.67	1.67	4.00	8.20 3.40 - 10.40	1.933 -	2.860	8.87	8.49	8.13	99	
15+18+25+25	1.14	2.22	2.42	2.42	8.20 3.40 - 10.40	1.962 -	2.780	9.01	8.62	8.26	99	
15+18+25+35	1.11	2.15	2.34	2.60	8.20 3.40 - 10.40	1.952 -	2.880	8.96	8.57	8.22	99	
15+18+25+42	1.00	1.93	2.11	3.16	8.20 3.40 - 10.40	1.952 -	2.880	8.96	8.57	8.22	99	
15+18+25+50	0.88	1.71	1.87	3.74	8.20 3.40 - 10.40	1.942 -	2.870	8.92	8.53	8.17	99	
15+18+25+60	0.84	1.64	1.79	3.93	8.20 3.40 - 10.40	1.933 -	2.860	8.87	8.49	8.13	99	
15+18+35+35	1.07	2.08	2.52	2.52	8.20 3.40 - 10.40	1.942 -	2.870	8.92	8.53	8.17	99	
15+18+35+42	0.97	1.88	2.28	3.08	8.20 3.40 - 10.40	1.942 -	2.870	8.92	8.53	8.17	99	
15+18+35+50	0.86	1.67	2.02	3.64	8.20 3.40 - 10.40	1.933 -	2.860	8.87	8.49	8.13	99	
15+18+42+42	0.88	1.71	2.80	2.80	8.20 3.40 - 10.40	1.942 -	2.870	8.92	8.53	8.17	99	
15+18+42+50	0.79	1.54	2.52	3.35	8.20 3.40 - 10.40	1.933 -	2.860	8.87	8.49	8.13	99	
15+20+20+20	1.68	2.17	2.17	2.17	8.20 3.40 - 10.40	2.256 -	3.145	10.36	9.91	9.49	99	
15+20+20+22	1.48	1.92	1.92	2.88	8.20 3.40 - 10.40	2.158 -	3.000	9.91	9.48	9.08	99	
15+20+20+25	1.44	1.86	1.86	3.04	8.20 3.40 - 10.40	2.158 -	3.000	9.91	9.48	9.08	99	
15+20+20+35	1.38	1.79	1.79	3.25	8.20 3.40 - 10.40	2.148 -	3.170	9.86	9.43	9.04	99	
15+20+20+42	1.21	1.57	1.57	3.85	8.20 3.40 - 10.40	2.148 -	3.170	9.86	9.43	9.04	99	
15+20+20+50	1.05	1.36	1.36	4.44	8.20 3.40 - 10.40	2.138 -	3.160	9.82	9.39	9.00	99	
15+20+20+60	1.00	1.29	1.29	4.63	8.20 3.40 - 10.40	2.129 -	3.150	9.77	9.35	8.96	99	
15+20+22+22	1.33	1.72	2.58	2.58	8.20 3.40 - 10.40	2.060 -	2.855	9.46	9.05	8.67	99	
15+20+22+25	1.29	1.67	2.51	2.73	8.20 3.40 - 10.40	2.060 -	2.900	9.46	9.05	8.67	99	
15+20+22+35	1.24	1.61	2.42	2.93	8.20 3.40 - 10.40	2.050 -	3.025	9.41	9.00	8.63	99	
15+20+22+42	1.11	1.43	2.15	3.51	8.20 3.40 - 10.40	2.050 -	3.025	9.41	9.00	8.63	99	
15+20+22+50	0.97	1.25	1.88	4.10	8.20 3.40 - 10.40	2.040 -	3.015	9.37	8.96	8.59	99	
15+20+22+60	0.92	1.19	1.79	4.29	8.20 3.40 - 10.40	2.031 -	3.005	9.32	8.92	8.55	99	

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)		
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240			
15+20+25+25	1.26	1.63	2.66	2.66	3.40	8.20 -	10.40	2.060 -	2.970	9.46	9.05	8.67	99
15+20+25+35	1.21	1.57	2.57	2.85	3.40	8.20 -	10.40	2.050 -	3.025	9.41	9.00	8.63	99
15+20+25+42	1.08	1.40	2.29	3.43	3.40	8.20 -	10.40	2.050 -	3.025	9.41	9.00	8.63	99
15+20+25+50	0.95	1.23	2.01	4.02	3.40	8.20 -	10.40	2.040 -	3.015	9.37	8.96	8.59	99
15+20+25+60	0.91	1.17	1.92	4.21	3.40	8.20 -	10.40	2.031 -	3.005	9.32	8.92	8.55	99
15+20+35+35	1.17	1.52	2.76	2.76	3.40	8.20 -	10.40	2.040 -	3.015	9.37	8.96	8.59	99
15+20+35+42	1.05	1.36	2.47	3.33	3.40	8.20 -	10.40	2.040 -	3.015	9.37	8.96	8.59	99
15+20+35+50	0.92	1.19	2.17	3.91	3.40	8.20 -	10.40	2.031 -	3.005	9.32	8.92	8.55	99
15+20+42+42	0.95	1.23	3.01	3.01	3.40	8.20 -	10.40	2.040 -	3.015	9.37	8.96	8.59	99
15+22+22+22	1.20	2.33	2.33	2.33	3.40	8.20 -	10.40	1.962 -	2.735	9.01	8.62	8.26	99
15+22+22+25	1.17	2.27	2.27	2.48	3.40	8.20 -	10.40	1.962 -	2.800	9.01	8.62	8.26	99
15+22+22+35	1.13	2.20	2.20	2.67	3.40	8.20 -	10.40	1.952 -	2.880	8.96	8.57	8.22	99
15+22+22+42	1.02	1.98	1.98	3.23	3.40	8.20 -	10.40	1.952 -	2.880	8.96	8.57	8.22	99
15+22+22+50	0.90	1.75	1.75	3.81	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+22+22+60	0.86	1.67	1.67	4.00	3.40	8.20 -	10.40	1.933 -	2.860	8.87	8.49	8.13	99
15+22+25+25	1.14	2.22	2.42	2.42	3.40	8.20 -	10.40	1.962 -	2.870	9.01	8.62	8.26	99
15+22+25+35	1.11	2.15	2.34	2.60	3.40	8.20 -	10.40	1.952 -	2.880	8.96	8.57	8.22	99
15+22+25+42	1.00	1.93	2.11	3.16	3.40	8.20 -	10.40	1.952 -	2.880	8.96	8.57	8.22	99
15+22+25+50	0.88	1.71	1.87	3.74	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+22+25+60	0.84	1.64	1.79	3.93	3.40	8.20 -	10.40	1.933 -	2.860	8.87	8.49	8.13	99
15+22+35+35	1.07	2.08	2.52	2.52	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+22+35+42	0.97	1.88	2.28	3.08	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+22+35+50	0.86	1.67	2.02	3.64	3.40	8.20 -	10.40	1.933 -	2.860	8.87	8.49	8.13	99
15+22+42+42	0.88	1.71	2.80	2.80	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+25+25+25	1.12	2.36	2.36	2.36	3.40	8.20 -	10.40	1.962 -	2.890	9.01	8.62	8.26	99
15+25+25+35	1.08	2.29	2.29	2.54	3.40	8.20 -	10.40	1.952 -	2.880	8.96	8.57	8.22	99
15+25+25+42	0.97	2.06	2.06	3.10	3.40	8.20 -	10.40	1.952 -	2.880	8.96	8.57	8.22	99
15+25+25+50	0.87	1.83	1.83	3.67	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+25+25+60	0.83	1.76	1.76	3.86	3.40	8.20 -	10.40	1.933 -	2.860	8.87	8.49	8.13	99
15+25+35+35	1.05	2.22	2.47	2.47	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+25+35+42	0.95	2.01	2.23	3.01	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+25+35+50	0.84	1.79	1.99	3.58	3.40	8.20 -	10.40	1.933 -	2.860	8.87	8.49	8.13	99
15+25+42+42	0.87	1.83	2.75	2.75	3.40	8.20 -	10.40	1.942 -	2.870	8.92	8.53	8.17	99
15+35+35+35	1.02	2.39	2.39	2.39	3.40	8.20 -	10.40	1.933 -	2.860	8.87	8.49	8.13	99
18+18+18+18	2.15	2.15	2.15	2.15	3.40	8.60 -	10.70	1.754 -	2.790	8.05	7.70	7.38	99
18+18+18+20	2.35	2.35	2.35	1.56	3.40	8.60 -	10.70	2.227 -	2.935	10.22	9.78	9.37	99
18+18+18+22	2.15	2.15	2.15	2.15	3.40	8.60 -	10.70	2.129 -	2.790	9.77	9.35	8.96	99
18+18+18+25	2.10	2.10	2.10	2.29	3.40	8.60 -	10.70	2.129 -	2.790	9.77	9.35	8.96	99
18+18+18+35	2.04	2.04	2.04	2.47	3.40	8.60 -	10.70	2.119 -	2.960	9.73	9.31	8.92	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240	
18+18+18+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 -	0.600	2.960	9.73	9.31	8.92	99
18+18+18+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 -	0.600	2.950	9.68	9.26	8.88	99
18+18+18+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	2.099 -	0.600	2.940	9.64	9.22	8.83	99
18+18+20+20	2.58	2.58	1.72	1.72	8.60 3.40 - 10.70	2.325 -	0.740	3.080	10.67	10.21	9.78	99
18+18+20+22	2.35	2.35	1.56	2.35	8.60 3.40 - 10.70	2.227 -	0.670	2.935	10.22	9.78	9.37	99
18+18+20+25	2.29	2.29	1.53	2.50	8.60 3.40 - 10.70	2.227 -	0.670	2.960	10.22	9.78	9.37	99
18+18+20+35	2.22	2.22	1.48	2.69	8.60 3.40 - 10.70	2.217 -	0.670	3.105	10.18	9.74	9.33	99
18+18+20+42	2.00	2.00	1.33	3.27	8.60 3.40 - 10.70	2.217 -	0.670	3.105	10.18	9.74	9.33	99
18+18+20+50	1.77	1.77	1.18	3.87	8.60 3.40 - 10.70	2.207 -	0.670	3.095	10.13	9.69	9.29	99
18+18+20+60	1.70	1.70	1.13	4.07	8.60 3.40 - 10.70	2.197 -	0.670	3.085	10.09	9.65	9.25	99
18+18+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 -	0.600	2.790	9.77	9.35	8.96	99
18+18+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 -	0.600	2.860	9.77	9.35	8.96	99
18+18+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 -	0.600	2.960	9.73	9.31	8.92	99
18+18+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 -	0.600	2.960	9.73	9.31	8.92	99
18+18+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 -	0.600	2.950	9.68	9.26	8.88	99
18+18+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	2.099 -	0.600	2.940	9.64	9.22	8.83	99
18+18+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	2.129 -	0.600	2.925	9.77	9.35	8.96	99
18+18+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	2.119 -	0.600	2.960	9.73	9.31	8.92	99
18+18+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	2.119 -	0.600	2.960	9.73	9.31	8.92	99
18+18+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	2.109 -	0.600	2.950	9.68	9.26	8.88	99
18+18+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	2.099 -	0.600	2.940	9.64	9.22	8.83	99
18+18+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	2.109 -	0.600	2.950	9.68	9.26	8.88	99
18+18+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	2.109 -	0.600	2.950	9.68	9.26	8.88	99
18+18+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	2.099 -	0.600	2.940	9.64	9.22	8.83	99
18+18+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	2.109 -	0.600	2.950	9.68	9.26	8.88	99
18+20+20+20	2.87	1.91	1.91	1.91	8.60 3.40 - 10.70	2.423 -	0.810	3.225	11.12	10.64	10.20	99
18+20+20+22	2.58	1.72	1.72	2.58	8.60 3.40 - 10.70	2.325 -	0.740	3.080	10.67	10.21	9.78	99
18+20+20+25	2.51	1.67	1.67	2.74	8.60 3.40 - 10.70	2.325 -	0.740	3.150	10.67	10.21	9.78	99
18+20+20+35	2.43	1.62	1.62	2.94	8.60 3.40 - 10.70	2.315 -	0.740	3.250	10.63	10.17	9.74	99
18+20+20+42	2.17	1.44	1.44	3.55	8.60 3.40 - 10.70	2.315 -	0.740	3.250	10.63	10.17	9.74	99
18+20+20+50	1.90	1.27	1.27	4.16	8.60 3.40 - 10.70	2.305 -	0.740	3.240	10.58	10.12	9.70	99
18+20+20+60	1.82	1.21	1.21	4.36	8.60 3.40 - 10.70	2.295 -	0.740	3.230	10.54	10.08	9.66	99
18+20+22+22	2.35	1.56	2.35	2.35	8.60 3.40 - 10.70	2.227 -	0.670	2.980	10.22	9.78	9.37	99
18+20+22+25	2.29	1.53	2.29	2.50	8.60 3.40 - 10.70	2.227 -	0.670	3.050	10.22	9.78	9.37	99
18+20+22+35	2.22	1.48	2.22	2.69	8.60 3.40 - 10.70	2.217 -	0.670	3.105	10.18	9.74	9.33	99
18+20+22+42	2.00	1.33	2.00	3.27	8.60 3.40 - 10.70	2.217 -	0.670	3.105	10.18	9.74	9.33	99
18+20+22+50	1.77	1.18	1.77	3.87	8.60 3.40 - 10.70	2.207 -	0.670	3.095	10.13	9.69	9.29	99
18+20+22+60	1.70	1.13	1.70	4.07	8.60 3.40 - 10.70	2.197 -	0.670	3.085	10.09	9.65	9.25	99
18+20+25+25	2.23	1.49	2.44	2.44	8.60 3.40 - 10.70	2.227 -	0.670	3.115	10.22	9.78	9.37	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total			220	230	240	
18+20+25+35	2.17	1.44	2.36	2.63	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+20+25+42	1.96	1.30	2.14	3.20	8.60 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+20+25+50	1.74	1.16	1.90	3.80	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+20+25+60	1.67	1.11	1.82	4.00	8.60 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+20+35+35	2.10	1.40	2.55	2.55	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+20+35+42	1.90	1.27	2.31	3.12	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+20+35+50	1.70	1.13	2.06	3.71	8.60 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+20+42+42	1.74	1.16	2.85	2.85	8.60 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 - 2.880	0.600	9.77	9.35	8.96	99
18+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 - 2.950	0.600	9.77	9.35	8.96	99
18+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+22+60	1.59	1.59	1.59	3.82	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
18+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+25+42	1.82	1.82	1.98	2.98	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+22+25+50	1.63	1.63	1.78	3.56	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+25+60	1.57	1.57	1.71	3.75	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+22+35+35	1.94	1.94	2.36	2.36	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+35+42	1.77	1.77	2.15	2.90	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+22+35+50	1.59	1.59	1.93	3.48	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+22+42+42	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+25+25+25	2.01	2.20	2.20	2.20	8.60 3.40 - 10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
18+25+25+35	1.96	2.14	2.14	2.37	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+25+25+42	1.78	1.95	1.95	2.92	8.60 3.40 - 10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+25+25+50	1.60	1.75	1.75	3.50	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+25+35+35	1.90	2.08	2.31	2.31	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+25+35+42	1.74	1.90	2.11	2.85	8.60 3.40 - 10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+35+35+35	1.85	2.25	2.25	2.25	8.60 3.40 - 10.70	2.099 - 2.940	0.600	9.64	9.22	8.83	99
20+20+20+20	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.521 - 3.370	0.880	11.57	11.07	10.61	99
20+20+20+22	1.91	1.91	1.91	2.87	8.60 3.40 - 10.70	2.423 - 3.270	0.810	11.12	10.64	10.20	99
20+20+20+25	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.423 - 3.340	0.810	11.12	10.64	10.20	99
20+20+20+35	1.78	1.78	1.78	3.25	8.60 3.40 - 10.70	2.413 - 3.395	0.810	11.08	10.60	10.15	99
20+20+20+42	1.58	1.58	1.58	3.87	8.60 3.40 - 10.70	2.413 - 3.395	0.810	11.08	10.60	10.15	99
20+20+20+50	1.37	1.37	1.37	4.49	8.60 3.40 - 10.70	2.403 - 3.385	0.810	11.03	10.55	10.11	99
20+20+20+60	1.30	1.30	1.30	4.69	8.60 3.40 - 10.70	2.393 - 3.375	0.810	10.99	10.51	10.07	99
20+20+22+22	1.72	1.72	2.58	2.58	8.60 3.40 - 10.70	2.325 - 3.170	0.740	10.67	10.21	9.78	99
20+20+22+25	1.67	1.67	2.51	2.74	8.60 3.40 - 10.70	2.325 - 3.240	0.740	10.67	10.21	9.78	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240	
20+20+22+35	1.62	1.62	2.43	2.94	8.60 3.40 - 10.70	2.315 -	-	3.250	10.63	10.17	9.74	99
20+20+22+42	1.44	1.44	2.17	3.55	8.60 3.40 - 10.70	2.315 -	-	3.250	10.63	10.17	9.74	99
20+20+22+50	1.27	1.27	1.90	4.16	8.60 3.40 - 10.70	2.305 -	-	3.240	10.58	10.12	9.70	99
20+20+22+60	1.21	1.21	1.82	4.36	8.60 3.40 - 10.70	2.295 -	-	3.230	10.54	10.08	9.66	99
20+20+25+25	1.63	1.63	2.67	2.67	8.60 3.40 - 10.70	2.325 -	-	3.260	10.67	10.21	9.78	99
20+20+25+35	1.58	1.58	2.58	2.87	8.60 3.40 - 10.70	2.315 -	-	3.250	10.63	10.17	9.74	99
20+20+25+42	1.41	1.41	2.31	3.47	8.60 3.40 - 10.70	2.315 -	-	3.250	10.63	10.17	9.74	99
20+20+25+50	1.24	1.24	2.04	4.07	8.60 3.40 - 10.70	2.305 -	-	3.240	10.58	10.12	9.70	99
20+20+25+60	1.19	1.19	1.95	4.27	8.60 3.40 - 10.70	2.295 -	-	3.230	10.54	10.08	9.66	99
20+20+35+35	1.53	1.53	2.77	2.77	8.60 3.40 - 10.70	2.305 -	-	3.240	10.58	10.12	9.70	99
20+20+35+42	1.37	1.37	2.49	3.37	8.60 3.40 - 10.70	2.305 -	-	3.240	10.58	10.12	9.70	99
20+20+35+50	1.21	1.21	2.21	3.97	8.60 3.40 - 10.70	2.295 -	-	3.230	10.54	10.08	9.66	99
20+20+42+42	1.24	1.24	3.06	3.06	8.60 3.40 - 10.70	2.305 -	-	3.240	10.58	10.12	9.70	99
20+22+22+22	1.56	2.35	2.35	2.35	8.60 3.40 - 10.70	2.227 -	-	3.070	10.22	9.78	9.37	99
20+22+22+25	1.53	2.29	2.29	2.50	8.60 3.40 - 10.70	2.227 -	-	3.115	10.22	9.78	9.37	99
20+22+22+35	1.48	2.22	2.22	2.69	8.60 3.40 - 10.70	2.217 -	-	3.105	10.18	9.74	9.33	99
20+22+22+42	1.33	2.00	2.00	3.27	8.60 3.40 - 10.70	2.217 -	-	3.105	10.18	9.74	9.33	99
20+22+22+50	1.18	1.77	1.77	3.87	8.60 3.40 - 10.70	2.207 -	-	3.095	10.13	9.69	9.29	99
20+22+22+60	1.13	1.70	1.70	4.07	8.60 3.40 - 10.70	2.197 -	-	3.085	10.09	9.65	9.25	99
20+22+25+25	1.49	2.23	2.44	2.44	8.60 3.40 - 10.70	2.227 -	-	3.115	10.22	9.78	9.37	99
20+22+25+35	1.44	2.17	2.36	2.63	8.60 3.40 - 10.70	2.217 -	-	3.105	10.18	9.74	9.33	99
20+22+25+42	1.30	1.96	2.14	3.20	8.60 3.40 - 10.70	2.217 -	-	3.105	10.18	9.74	9.33	99
20+22+25+50	1.16	1.74	1.90	3.80	8.60 3.40 - 10.70	2.207 -	-	3.095	10.13	9.69	9.29	99
20+22+35+35	1.40	2.10	2.55	2.55	8.60 3.40 - 10.70	2.207 -	-	3.095	10.13	9.69	9.29	99
20+22+35+42	1.27	1.90	2.31	3.12	8.60 3.40 - 10.70	2.207 -	-	3.095	10.13	9.69	9.29	99
20+25+25+25	1.46	2.38	2.38	2.38	8.60 3.40 - 10.70	2.227 -	-	3.115	10.22	9.78	9.37	99
20+25+25+35	1.41	2.31	2.31	2.57	8.60 3.40 - 10.70	2.217 -	-	3.105	10.18	9.74	9.33	99
20+25+25+42	1.28	2.09	2.09	3.14	8.60 3.40 - 10.70	2.217 -	-	3.105	10.18	9.74	9.33	99
20+25+25+50	1.14	1.87	1.87	3.73	8.60 3.40 - 10.70	2.207 -	-	3.095	10.13	9.69	9.29	99
20+25+35+35	1.37	2.24	2.49	2.49	8.60 3.40 - 10.70	2.207 -	-	3.095	10.13	9.69	9.29	99
20+25+35+42	1.24	2.04	2.26	3.06	8.60 3.40 - 10.70	2.207 -	-	3.095	10.13	9.69	9.29	99
20+35+35+35	1.33	2.42	2.42	2.42	8.60 3.40 - 10.70	2.197 -	-	3.085	10.09	9.65	9.25	99
22+22+22+22	2.15	2.15	2.15	2.15	8.60 3.40 - 10.70	2.129 -	-	2.970	9.77	9.35	8.96	99
22+22+22+25	2.10	2.10	2.10	2.29	8.60 3.40 - 10.70	2.129 -	-	2.970	9.77	9.35	8.96	99
22+22+22+35	2.04	2.04	2.04	2.47	8.60 3.40 - 10.70	2.119 -	-	2.960	9.73	9.31	8.92	99
22+22+22+42	1.85	1.85	1.85	3.04	8.60 3.40 - 10.70	2.119 -	-	2.960	9.73	9.31	8.92	99
22+22+22+50	1.66	1.66	1.66	3.62	8.60 3.40 - 10.70	2.109 -	-	2.950	9.68	9.26	8.88	99
22+22+25+25	2.06	2.06	2.24	2.24	8.60 3.40 - 10.70	2.129 -	-	2.970	9.77	9.35	8.96	99
22+22+25+35	2.00	2.00	2.18	2.42	8.60 3.40 - 10.70	2.119 -	-	2.960	9.73	9.31	8.92	99

MXZ-4F72VF HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)			Current (A)			Power factor(%)		
	Unit A	Unit B	Unit C	Unit D	Total				220	230	240			
22+22+25+42	1.82	1.82	1.98	2.98	8.60 - 10.70	3.40	-	10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+22+25+50	1.63	1.63	1.78	3.56	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+22+35+35	1.94	1.94	2.36	2.36	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+22+35+42	1.77	1.77	2.15	2.90	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+25+25+25	2.01	2.20	2.20	2.20	8.60 - 10.70	3.40	-	10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
22+25+25+35	1.96	2.14	2.14	2.37	8.60 - 10.70	3.40	-	10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+25+25+42	1.78	1.95	1.95	2.92	8.60 - 10.70	3.40	-	10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
22+25+25+50	1.60	1.75	1.75	3.50	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+25+35+35	1.90	2.08	2.31	2.31	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
22+25+35+42	1.74	1.90	2.11	2.85	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
25+25+25+25	2.15	2.15	2.15	2.15	8.60 - 10.70	3.40	-	10.70	2.129 - 2.970	0.600	9.77	9.35	8.96	99
25+25+25+35	2.09	2.09	2.09	2.32	8.60 - 10.70	3.40	-	10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
25+25+25+42	1.91	1.91	1.91	2.87	8.60 - 10.70	3.40	-	10.70	2.119 - 2.960	0.600	9.73	9.31	8.92	99
25+25+25+50	1.72	1.72	1.72	3.44	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99
25+25+35+35	2.04	2.04	2.26	2.26	8.60 - 10.70	3.40	-	10.70	2.109 - 2.950	0.600	9.68	9.26	8.88	99